



ASTRONOMY | MICROSCOPY
NATURE OBSERVATION
WEATHER & TIME | ELECTRONICS



ASTRONOMY

Art.No.:	Description	Page
9062000	70/350 Automatic Telescope	4
9062100	90/1250 Automatic Telescope	4
9065000	114/500 Compact Telescope	5
9015000	76/350 Compact Telescope	5
9070000	90/900 EQ Refractor	6
9011100	60/700 AZ Refractor	6
9071000	70/900 MPM Refractor	7
9011000	76/700 EQ Reflector	8
9011300	76/700 AZ Reflector	8
9012000	76/350 AZ Reflector with solar filter	9
9011200	114/900 AZ Reflector	9

MICROSCOPY

Art.No.:	Description	Page
9039100	40x-1024x Microscope	10
9039001	40x-1280x Microscope	11

NATURE OBSERVATION

Art.No.:	Description	Page
9076200	8x42 Binoculars (Roof)	12
9076100	10x42 WP Binoculars (Roof)	13
9064000	8-24x50 Zoom Binoculars (Porro)	14
9019000	7x50 Binoculars (Porro)	14
9056000	10x50 Binoculars (Porro)	14
9024200	8x21 Pocket Binoculars	15
9025200	10x25 Pocket Binoculars	15
9076540	8x25 Pocket Binoculars	15
9076550	10x25 Pocket Binoculars	15
9077500	8-25x25 Zoom Monocular	16
9079000	Compass	16
9057000	20-60x60 Spotting Scope	17



WEATHER & TIME

Art.No.:	Description	Page
9070600	VA Colour RC Weather station	18
9070700	VA Colour Thermo-Hygro station	18
9070200	Thermo-/Hygrometer	19
9070300	Weather station	19
9070710	VA Colour RC Weather station	20
9070500	RCC Weather station ColourTemp	21
9080500	Colour Weather center 5-in-1	22
9080600	WIFI Colour Weather Center 7-in-1	23

ELECTRONICS

Art.No.:	Description	Page
9060100	89W Mobile Power Station	24
9010500	Metal detector	25
9082600	Illuminos Stripe LED Headlamp	26
9082300	Illuminos 800 LED Flashlight	27
9082400	Illuminos 1000 LED Flashlight	27
9082500	Illuminos 450 LED Flashlight	27

AUTOMATIC TELESCOPES

70/350 AUTOMATIC TELESCOPE

Art.No.: 9062000

- Computer-controlled refracting telescope for beginners
- Mount: Alt-azimuth with automatic tracking
- Coordinates of more than 270.000 celestial bodies already installed
- Incl. Go-to handbox, Moon filter, built-in compass, Rotatable star map



GO-TO HANDBOX

270.000

OBJECTS
STORED



**FIND YOUR CELESTIAL OBJECT
WITH THE PUSH OF A BUTTON!**



90/1250 AUTOMATIC TELESCOPE

Art.No.: 9062100

- Computer-controlled Maksutov-Cassegrain telescope
- Mount: Alt-azimuth with automatic tracking
- Coordinates of more than 270.000 celestial bodies already installed
- Incl. Go-to handbox, Moon filter, built-in compass, Rotatable star map

SPECIAL MAKSUTOV

MIRROR LENS OPTIC



ITEM NUMBER

DESCRIPTION

OPTICAL SYSTEM

MOUNT

LENS OR MIRROR Ø

FOCAL LENGTH

MAGNIFICATION

EYEPIECES

9062000

70/350 Automatic Telescope

Refractor

Alt-azimuth with automatic tracking

70 mm

350 mm

18x-35x

10/20 mm

9062100

90/1250 Automatic Telescope

Maksutov-Cassegrain

Alt-azimuth with automatic tracking

90 mm

1250 mm

50x-100x

12.5/25 mm



TABLE TELESCOPES

114/500 COMPACT TELESCOPE

Art.No.: 9065000

- Compact Dobson telescope
- Easy to handle particularly for beginners
- Mount: Alt-azimuth Dobson table mount
- Incl. LED-Viewfinder, 2x Barlow lens, Moon filter, built-in compass



Built-in compass



76/350 COMPACT TELESCOPE

Art.No.: 9015000

- Compact Dobson telescope
- Easy to handle particularly for beginners
- Mount: Alt-azimuth Dobson table mount
- Incl. 2x Barlow lens, Moon filter, built-in compass



Built-in compass



ITEM NUMBER

DESCRIPTION

OPTICAL SYSTEM

MOUNT

MIRROR Ø

FOCAL LENGTH

MAGNIFICATION

EYEPIECES

9065000

114/500 Compact Telescope

Newton Reflector

Alt-azimuth Dobson table mount

114 mm

500 mm

25x-167x

6/20 mm

9015000

76/350 Compact Telescope

Newton Mirror

Alt-azimuth Dobson table mount

76 mm

350 mm

18x-117x

6/20 mm

REFRACTOR TELESCOPES

90/900 EQ REFRACTOR

Art.No.: 9070000

- Versatile refractor for terrestrial to deep sky observations
- Easy tracking by hand
- Good light-gathering capacity
- Mount: EQ3 Equatorial mount with aluminum tripod
- Magnification: 45x-675x (max. recommended: 180x)
- Incl. LED-Viewfinder, 3x Barlow lens, Moon filter, Rotatable star map



60/700 AZ REFRACTOR

Art.No.: 9011100

- Easy to use entry-level telescope
- Suitable for astronomical, landscape and nature observing
- Quick and easy set-up without any additional tools
- Mount: Alt-azimuth mount with tripod
- Magnification: 35x-525x (max. recommended: 120x)
- Incl. 5x24 Viewfinder, 3x Barlow lens, 1.5x Erecting lens

ITEM NUMBER
DESCRIPTION
OPTICAL SYSTEM
MOUNT
LENS Ø
FOCAL LENGTH
MAGNIFICATION
EYEPIECES

9070000
90/900 EQ Refractor
Refractor
EQ3 Equatorial
90 mm
900 mm
45x-675x
4/12/20 mm

9011100
60/700 AZ Refractor
Refractor
Alt-azimuth
60 mm
700 mm
35x-525x
4/12.5/20 mm

70/900 MPM REFRACTOR

Art.No.: 9071000

- High quality refractor telescope
- Mount: MPM (Multi-purpose mount) for observing in alt-azimuth and equatorial mode
- Magnification: 45x-337x (max. recommended: 140x)
- Incl. 6x25 Viewfinder, 1.5x Erecting lens, Diagonal mirror, Rotatable star map



MPM mount for easy and precise guidance.

ITEM NUMBER	9071000
DESCRIPTION	70/900 MPM Refractor
OPTICAL SYSTEM	Refractor
MOUNT	MPM
LENS Ø	70 mm
FOCAL LENGTH	900 mm
MAGNIFICATION	45x-337x
EYEPIECES	4/12/20 mm

REFLECTOR TELESCOPES

76/700 EQ REFLECTOR

Art.No.: 9011000

- Newton reflector for beginners
- Perfect for astronomical observing in the starry night sky
- Mount: Equatorial with tripod
- Magnification: 23x-262x (max. recommended: 152x)
- Incl. 5x24 Viewfinder, 3x Barlow lens, 1.5x Erecting lense, Moon filter



76/700 AZ REFLECTOR


Art.No.: 9011300

- Reflector telescope for observation of the moon and planets
- easy tracking by hand
- quick set-up and easy to transport
- Mount: Alt-azimuth mount with tripod
- Incl. 5x24 Viewfinder, 3x Barlow lens

ITEM NUMBER
DESCRIPTION
OPTICAL SYSTEM
MOUNT
MIRROR Ø
FOCAL LENGTH
MAGNIFICATION
EYEPIECES

9011000
76/700 EQ Reflector
Reflector
Equatorial
76 mm
700 mm
28x-233x
9/12.5/25 mm

9011300
76/700 AZ Reflector
Reflector
Alt-azimuth
76 mm
700 mm
35x-525x
4/12.5/20 mm



Solar filter allows for safe sun observation.



76/350 AZ REFLECTOR WITH SOLAR FILTER

Art.No.: 9012000

- Newton telescope with solar filter
- Observe not only the night sky but also the sun
- Smartphone holder for photography with mobile phone
- Comes completely pre-assembled. No construction required. Start observing immediately.
- Mount: Alt-azimuth mount with tripod
- Incl. Sun filter, 2x Barlow lens, Smartphone holder,



114/900 AZ REFLECTOR

Art.No.: 9011200

- Reflector telescope for beginners
- Observation of the planets and bright deep sky objects
- good light-gathering capacity
- Mount: Alt-azimuth mount with tripod
- Incl. 6x30 Viewfinder, 3x Barlow lens, 1.5x Erecting lense

ITEM NUMBER

DESCRIPTION

OPTICAL SYSTEM

MOUNT

MIRROR Ø

FOCAL LENGTH

MAGNIFICATION

EYEPIECES

9012000

76/350 AZ Reflector with solar filter

Reflector

Alt-azimuth

76 mm

350 mm

18x-175x

4/20 mm

9011200

114/900 AZ Reflector

Reflector

Alt-azimuth

114 mm

900 mm

114x-900x

4/9/25 mm

MICROSCOPES

40X-1024X MICROSCOPE

Art.No.: 9039100

- Perfect entry-level Microscope
- Incident and transmitted light
- Magnification: 40x-1024x / Objectives: 4x, 10x, 40x
- USB eyepiece for photo and video function
- Eyepieces: 10x, 16x
- Dimensions: 153x100x270mm / Weight: 1000 g
- Incl. Transport case, Objectives, Eyepieces, Microscope utensils, Slides, Preparations, USB eyepiece



USB eyepiece camera



Incident light



Transmission light


40X-1280X MICROSCOPE

Art.No.: 9039001


- Perfect entry-level Microscope
- Incident and transmitted light
- Magnification: 40x-1280x / Objectives: 4x, 10x, 40x
- Eyepieces: 10x, 16x / Barlow lens 2x
- Take and share pictures of your microscopic observations with the included Smartphone holder
- Dimensions: 153x100x267 mm / Weight: 1000 g
- Incl. Smartphone holder, Broad range of accessories



Incl. Smartphone holder




Incident light



Transmission light

ROOF BINOCULARS



8x42

Art.No.: 9076200

- Binoculars for Bird watching & Nature observation
- Diopter adjustment ± 2
- Twist-up eyecups (suitable for spectacle wearers)
- Dimensions: 146x126x53 mm / Weight: 660 g
- Incl. Case, Carrying strap, Lens protection caps



ITEM NUMBER

DESCRIPTION

OPTICAL SYSTEM

MAGNIFICATION

OBJECTIVE LENS Ø

FIELD OF VIEW (1000M)

LENS COATING

WATERPROOF

9076200

8x42 Binoculars

Roof / BaK-4

8x

42 mm

110 m

Fully coated

—



10x42 WP

Art.No.: 9076100

- Binoculars for Watersport & Sailing
- Twist-up eyecups (suitable for spectacle wearers)
- Dimensions: 150x130x55 mm / Weight: 710 g
- Incl. Case, Floating strap, Lens protection caps



ITEM NUMBER	9076100
DESCRIPTION	10x42 WP Binoculars
OPTICAL SYSTEM	Roof / BaK-4
MAGNIFICATION	10x
OBJECTIVE LENS Ø	42 mm
FIELD OF VIEW (1000M)	101 m
LENS COATING	Multi-coated
WATERPROOF	✓

PORRO BINOCULARS

8-24x50 ZOOM BINOCULARS

Art.No.: 9064000

- Versatile Zoom binoculars
- Large objective lens diameter for high light gathering capacity
- Suitable for spectacle wearers
- Dimensions: 180x185x62 mm / Weight: 828 g
- Incl. Case, Carrying strap, Dust protection caps



7x50 & 10x50 BINOCULARS

7x50 Art.No.: 9019000

10x50 Art.No.: 9056000

- Binoculars for nature observations
- High light gathering capacity for bright images in the twilight
- Suitable for spectacle wearers
- Dimensions: 195x178x62 mm / Weight: 770 g
- Incl. Case, Carrying strap, Dust protection caps



ITEM NUMBER

DESCRIPTION

OPTICAL SYSTEM

MAGNIFICATION

OBJECTIVE LENS Ø

FIELD OF VIEW (1000M)

LENS COATING

WATERPROOF

9064000

8-24x50 Zoom Binoculars

Porro / BK-7

8-24x

50 mm

65 m

Fully coated

—

9019000

7x50 Binoculars

Porro / BK-7

7x

50 mm

122 m

Fully coated

—

9056000

10x50 Binoculars

Porro / BK-7

10x

50 mm

96 m

Fully coated

—

POCKET BINOCULARS

8x21 & 10x25

8x21 Art.No.: 9024200

10x25 Art.No.: 9025200

- Compact foldable binoculars
- Ideal for travelling and hiking
- Suitable for spectacle wearers
- Dimensions/Weight (9024200): 105x92x37 mm, 210 g
- Dimensions/Weight (9025200): 115x110x37 mm, 285 g
- Incl. Case, Carrying strap



8x25 & 10x25

8x25 Art.No.: 9076540

10x25 Art.No.: 9076550



- Modern Pocket binoculars with BaK-4-Prisms
- Ideal for travelling and hiking
- Suitable for spectacle wearers
- Dioptre adjustment
- Dimensions/Weight (9076540): 115x110x44 mm, 321 g
- Dimensions/Weight (9076550): 115x110x44 mm, 332 g
- Incl. Case, Carrying strap



ITEM NUMBER	9024200	9025200	9076540	9076550
DESCRIPTION	8x21 Pocket Binoculars	10x25 Pocket Binoculars	8x25 Pocket Binoculars	10x25 Pocket Binoculars
OPTICAL SYSTEM	Roof	Roof	Roof	Roof
MAGNIFICATION	8x	10x	8x	10x
OBJECTIVE LENS Ø	21 mm	25 mm	25 mm	25 mm
FIELD OF VIEW (1000M)	124 m	101 m	118 m	101 m
LENS COATING	Fully coated	Fully coated	Fully coated	Fully coated
WATERPROOF	—	—	✓	✓

MONOCULARS

8-25x25 ZOOM MONOCULAR

Art.No.: 9077500

- Zoom monocular and macro lens in one
- Fully coated optics
- Continuous zoom
- Macro function
- Suitable for spectacle wearers
- Incl. Bag, Carrying strap



COMPASS

Art.No.: 9079000

- Centimetre and a measuring scale
- Floating 360° scale and compass needle
- Sight wire and slot
- Lug for attachment to a carabiner



SPOTTING SCOPE

20-60x60 SPOTTING SCOPE


Art.No.: 9057000

- Infinitely adjustable magnification from 20x to 60x
- Large objective lens diameter for high light gathering capacity
- Suitable for spectacle wearers
- Dimensions: 350x155x95 mm / Weight: 998 g
- Incl. Table tripod, Case, Dust protection caps


ZOOM MAGNIFICATION



20X



40X



60X



ITEM NUMBER	9057000
DESCRIPTION	20-60x60 Spotting Scope
OPTICAL SYSTEM	Porro
MAGNIFICATION	20-60x
OBJECTIVE LENS Ø	60 mm
FIELD OF VIEW (1000M)	29 m
LENS COATING	Fully coated
WATERPROOF	—

WEATHER STATIONS

VA COLOUR RC WEATHER STATION

Art.No.: 9070600

- LCD colour display
- Barometric pressure display in hPa
- DCF radio clock with alarm function
- Weather forecast
- Indoor and Outdoor temperature (°C)
- Indoor relative humidity in %
- zum Aufstellen oder Aufhängen
- Dimensions: 150x26x150 mm / Weight: 304 g
- Required batteries: Station: 3x AAA (as Backup), Sensor: 2x AAA
- Incl. Thermo-Hygrosensor, Power supply



VA COLOUR THERMO-HYGRO STATION

Art.No.: 9070700

- Display temperature and humidity measurements from 4 different locations at all times
- LCD colour display
- DCF radio clock with alarm function
- Weather forecast
- Indoor and Outdoor temperature (°C)
- Indoor relative humidity in %
- Standing or wall mounted
- Dimensions: 150x26x150 mm / Weight: 304 g
- Required batteries: Station: 3x AAA (as Backup), Sensor: 6x AAA (2x AAA each per sensor)
- Incl. 3 Thermo-Hygrosensors, Power supply

3 Thermo-Hygrosensors included

Always 4 measuring points in view



THERMO-/HYGROMETER

Art.No.: 9070200

- Display temperature and humidity measurements from 4 different locations at all times
- Early prevention of mould
- Standing or wall mounted
- Dimensions: 104x119x25 mm / Weight: 152 g
- Required batteries: Station: 3x AAA, Sensor: 6x AAA (2x AAA each per sensor)
- Incl. 3 Thermo-Hygrosensors

3 Thermo-Hygrosensors included

Always 4 measuring points in view



WEATHER STATION

Art.No.: 9070300

- Futuristic-transparent display with a simple and elegant stand
- DCF radio clock with alarm function
- Weather forecast
- Indoor and Outdoor temperature (°C)
- Indoor relative humidity in %
- Dimensions: 140x105x50 mm / Weight: 117 g
- Required batteries: Station: 2x AAA, Sensor: 2x AAA
- Incl. Outdoor sensor





3 Thermo-Hygrosensors
included

Always 4 measuring
points in view

VA COLOUR RC WEATHER STATION

Art.No.: 9070710

- Display temperature and humidity measurements from 4 different locations at all times
- LCD colour display
- Barometric pressure display in hPa
- DCF radio clock with alarm function
- Weather forecast
- Early prevention of mould
- Standing or wall mounted
- Dimensions: 140x26x143 mm / Weight: 273 g
- Required batteries: Station: 3x AAA (as Backup), Sensor: 6x AA (2x AA each per sensor)
- Incl. 3 Thermo-Hygrosensors, Power supply



256 Colours



RCC WEATHER STATION COLOURTEMP

Art.No.: 9070500

- Radio controlled setting of time and date via DCF signal
- Manual or automatic setting of the 256 display colours
- LCD with True-Black background for a high contrast
- Weather forecast
- Wake-up alarm and snooze mode
- Outdoor sensor with LCD display
- Dimensions: 140x60x105 mm / Weight: 320 g
- Required batteries:
Station: 1x CR2032 (as Backup),
Sensor: 2x AA
- Incl. Outdoor sensor, Power supply

WEATHER CENTER

COLOUR WEATHER CENTER 5-IN-1

Art.No.: 9080500

- Weather center with 256-color display
- 5-in-1 Multisensor for outdoor use
- Indoor and Outdoor temperature (°C/°F) and humidity
- Weather forecast
- Wind direction and speed, Graphical weather trends display (12 hours), Beaufort-Index, Precipitation with history (day/week/month), Air pressure with history (24 hours), Feels like, Wind chill, Heat-Index, Dewpoint, Moon phases, Alarm function, Ice/freezing warning
- Radio controlled time and date setting
- Min.-/Max. value memory (up to 24 hours)
- Dimensions Station: 118x192.5x21 mm / Weight: 260 g
- Dimensions Sensor: 343.5x393.5x136 mm / Weight: 673 g
- Required batteries: Station: 1x CR2032 (as Backup), Sensor: 3x AA
- Incl. 5-in-1 Multisensor with mounting material, Power supply



Incl. 5-in-1 Multisensor

FEELS LIKE
WIND CHILL
HEAT INDEX
DEW POINT


20.8°C

Weather index: „Feels like“ (perceived temperature), Wind chill, Heat index, Dew-point and Beaufort level.


WIFI COLOUR WEATHER CENTER 7-IN-1

Art.No.: 9080600

- Weather center with 256-color display
- 7-in-1 Multisensor for outdoor use
- Indoor and Outdoor temperature (°C/°F) and humidity
- WLAN data transmission and app support: Weather Underground, weather cloud, AWEKAS
- Weather forecast
- Wind direction and speed, Graphical weather trends display (12 hours), Beaufort-Index, Precipitation with history (day/week/month), Air pressure with history (24 hours), Feels like, Wind chill, Heat-Index, Dewpoint, UV index and Light intensity, Moon phases, Alarm function, Ice/freezing warning
- Radio controlled time and date setting
- Min.-/Max. value memory (up to 24 hours)
- Dimensions Station: 136x168x24 mm / Weight: 370 g
- Dimensions Sensor: 343.5x393.5x136 mm / Weight: 734 g
- Required batteries: Station: 1x CR2032 (as Backup), Sensor: 3x AA
- Incl. 7-in-1 Multisensor with mounting material, Power supply



Send your weather data automatically via WIFI to Weather Underground, weather cloud or AWEKAS and retrieve the data via App from anywhere.



Retrieve data from
anywhere!



Incl. 7-in-1 Multisensor

ELECTRONICS

POWER STATION

89W MOBILE POWER STATION

Art.No.: 9060100

- Capacity: 88.8Wh, 6Ah/14.8V (equivalent 24000mAh/3.7V)
- High Quality Lithium ion Batteries
- Input Recharging: DC 15V~25V/1.2A Max.
- Fully Charged Time: Adapter: DC19V/1.5A; about 4-5 hours
- AC Continuous Output: 80W/120W Max. Modified SineWave
- LED light with 4 different levels (52 lm, 92 lm, 132 lm, SOS)
- Lifecycle: over 500 charges
- Dimensions: 165x80x117 mm / Weight: 1.04 kg
- Incl. Power supply, Micro USB cable



DC Output	1 x DC Output 12-16.8V/10A, 13A Max 2 x USB 5V-2.4A Total:4.8A Max 2 x USB 5-12V/2A(Total:5V/3.4A 18W max) QC 3.0 1 x USB C 5V/3A,9V/2A,12V/1.5A(PD2.0 18W Max)
AC Output	220V/50Hz
AC Continuous Output	80W/120W Max Modified SineWave



METAL DETECTOR

METAL DETECTOR

Art.No.: 9010500

- Digital metal detector with 3 search modes for target-oriented detection of metal types
- Search depth: small objects up to 20 cm, larger objects also deeper
- Available modes: All Metal, Disc, Notch
- Acoustic + visual indication of metal type
- Display of the relative search depth
- Incl. 8" search coil, Control unit with display, Ergonomic, length-adjustable handle (100 - 125 cm)
- Required batteries: 2 x 9-volt battery





LIGHTING

ILUMINOS STRIPE LED HEADLAMP

Art.No.: 9082600

- LED Stripe 300 lm
- LED Spot light 90 lm
- IR Sensor - Wave hand to turn ON/OFF
- 5 Modes: Stripe high (100%), Stripe medium (40%), Spot high (100%), Spot medium (40%), Stripe+Spot strobe (Flashing)
- Flexible and comfortable headband
- Rechargeable via USB Type-C
- Dimensions: approx. 19x24~32mm
- Weight: 96 g
- Incl. Hand strap, USB Type-C charging cable (0.5m)





ILUMINOS 800 LED FLASHLIGHT

Art.No.: 9082300

- LED flashlight with 800 lumen
- Mode (100%, 75%, 50%, 25%, flashing)
- White, red and green light
- Head rotatable by 90°
- Magnet and belt clip
- Splashproof IP44
- Rechargeable via USB cable (included)
- Dimensions: 153x28x28 mm / Weight: 131 g
- Incl. Hand strap, USB cable

ILUMINOS 1000 LED FLASHLIGHT

Art.No.: 9082400

- LED flashlight with 1000 lumen
- Mode (100%, 50%, flashing)
- White light
- Focus zoom (adjustable light cone)
- Magnet and belt clip
- Splashproof IP44
- Rechargeable via USB cable (included)
- Dimensions: 97x30x30 mm / Weight: 91 g
- Incl. USB cable

ILUMINOS 450 LED FLASHLIGHT

Art.No.: 9082500

- LED flashlight with 450 lumen
- Mode (100%, 50%, flashing)
- White light
- Head rotatable by 90°
- Magnet and belt clip
- Splashproof IP44
- Rechargeable via USB cable (included)
- Dimensions: 93x22x22 mm / Weight: 51 g
- Incl. Head band, USB cable

National Geographic Partners LLC

National Geographic Partners is a joint venture between The Walt Disney Company and the National Geographic Society. Every year, a portion of our net profits is distributed to the nonprofit Society to fund work in the areas of science, exploration, conservation, and education. This unique partnership creates a virtuous cycle of storytelling and exploration that inspires people to act, enlightens their perspective, and often provides the spark to new ideas and innovation.



YOUR PURCHASE HAS PURPOSE

Every purchase helps support the global nonprofit National Geographic Society in its work to protect and illuminate our world through exploration, research, and education.

TO LEARN MORE, VISIT
[NATGEO.COM/INFO](https://natgeo.com/info)



Visit our website: www.nationalgeographic.com

© National Geographic Partners LLC. All rights reserved.
NATIONAL GEOGRAPHIC and Yellow Border Design are trademarks of National Geographic Society, used under license.

© 2024 Bresser GmbH. No reproduction without permission. All rights reserved. Subject to change. Errors excepted.
* The name 'Bresser' and the Bresser Logo are registered trademarks of the Bresser GmbH, Rhede, Germany.

Catalog_NG-2024_en_NATGEO_v042024a



Bresser GmbH

Gutenbergstr. 2 · DE-46414 Rhede
Tel. +49 (0) 28 72-80 74-200
Fax. +49 (0) 28 72-80 74-444
www.bresser.de · info@bresser.de