



2025

CATALOG

# YOU ARE VORTEX NATION™



Around here, “Find Your Peak™” isn’t a catch phrase: **It’s the focus that fuels the adventure.**

**No shortcuts. No offseason. Nothing holding you back.**

Vortex Nation™ is both a mindset and a lifestyle. A community of individuals called to breathe the rarefied air of those who understand that your limits are the only limits to the hunting, shooting, and outdoor experience.



SCAN TO JOIN OUR  
NEWSLETTER FOR  
EXCLUSIVE CONTENT

## TABLE OF CONTENTS

### NEW FOR 2025

- 4 New Product Highlight – Tactical
- 6 New Product Highlight – Hunting

### VORTEX® GOLF

- 8 Vortex® Golf

### RIFLESCOPES

- 12 Razor® HD Gen III
- 13 Razor® HD Gen II
- 13 Razor® HD Gen II-E
- 14 Razor® HD LHT™
- 15 Viper® HD
- 16 Golden Eagle® HD
- 16 Viper® PST™ Gen II
- 17 Strike Eagle®
- 18 Viper®
- 18 Venom®
- 19 Diamondback® Tactical
- 19 Diamondback®
- 20 Crossfire® II
- 21 Rifle Scope Accessories
- 22 Rifle Scope Specifications
- 26 Reticles

### VORTEX® EYEWEAR

- 31 Vortex® Eyewear

### RED DOTS

- 34 AMG® UH-1® Gen II
- 35 SPARC® SOLAR
- 35 SPARC® AR

- 36 Strikefire® II
- 36 Crossfire®
- 37 Spitfire™ HD Gen II
- 37 Spitfire™ AR
- 38 Defender-XL™
- 38 Defender-ST™
- 39 Defender-CCW™
- 40 Viper® Shotgun Enclosed
- 42 Red Dot Accessories
- 44 Red Dot Specifications

### BINOCULARS

- 48 Razor® UHD
- 49 Razor® HD
- 49 Kaibab® HD
- 50 Viper® HD
- 51 Diamondback® HD
- 51 Crossfire® HD
- 52 Triumph® HD
- 52 Bantam® HD
- 53 Vanquish®
- 53 Raptor™
- 54 Binocular Accessories
- 56 Binocular Specifications

### GEOBALLISTICS®

- 61 GeoBallistics®

### LASER RANGEFINDERS

- 60 Impact® 4000
- 62 Razor® HD 4000 GB
- 63 Fury® HD 5000

- 64 Razor® HD 4000
- 64 Viper® HD 3000
- 65 Diamondback® HD 2000
- 65 Crossfire® HD 1400
- 66 Laser Rangefinder Specifications
- 67 Golf Laser Rangefinders

### MONOCULARS

- 70 Recon® R/T
- 70 RECCE Pro® HD
- 70 Solo® R/T
- 70 Solo®
- 71 Monocular Specifications

### SPOTTING SCOPES

- 74 Razor® HD
- 75 Viper® HD
- 76 Diamondback® HD
- 76 Crossfire® HD
- 77 Spotting Scope Specifications

### TRIPODS

- 80 Radian™ Carbon
- 80 Switchback™ Carbon
- 81 Ridgeview™ Carbon
- 81 Summit™ Carbon II
- 82 High Country™ II
- 82 Mountain Pass™
- 83 Tripod Accessories
- 83 Tripod Specifications



# NEW

## FOR 2025




**AMC** UH-1<sup>™</sup> GEN II  
HOLOGRAPHIC SIGHT – TAN

PAGE 34



**CROSSFIRE**  
RED DOT – TAN

PAGE 36



**DEFENDER** CCW<sup>™</sup>  
MICRO GREEN DOT

PAGE 39



**DEFENDER** -XL<sup>™</sup>  
MICRO GREEN DOT

PAGE 38



**DEFENDER** -ST<sup>™</sup>  
MICRO GREEN DOT

PAGE 38



# NEW

## FOR 2025

**VIPER**  
SHOTGUN ENCLOSED MICRO RED DOT

PAGE  
40

**GLASSPAK™ PRO**  
SMALL ZIPPER POUCH

PAGE  
54

**GLASSPAK™ PRO**  
BEAR SPRAY POUCH

PAGE  
54

**VIPER® HD**  
11-33x50 SPOTTING SCOPE

PAGE  
75

**VIPER® HD**  
3-15x44 RIFLESCOPE

PAGE  
15

**GLASSPAK™ PRO**  
HOLSTER

PAGE  
54

**RAZOR® UHD**  
8x32 BINOCULAR

PAGE  
48

**GLASSPAK™ PRO**  
LASER RANGEFINDER POUCH

PAGE  
54

**GLASSPAK™ PRO**  
LARGE ZIPPER POUCH

PAGE  
54

**GLASSPAK™ PRO**  
HAND MUFF

PAGE  
54



# Vortex<sup>®</sup> GOLF



## SAME VORTEX<sup>®</sup> *Different game.*

Vortex<sup>®</sup> is proud to share Vortex<sup>®</sup> Golf with birdie hunters everywhere, delivering a full line of laser rangefinders and gear for those who play to chase fun while keeping score. (AND WHO DON'T MIND A LITTLE SIDE BET ON THE NEXT HOLE...)



**ANARCH<sup>®</sup>**  
IMAGE STABILIZED LASER RANGEFINDER



**BLADE<sup>®</sup> SLOPE**  
LASER RANGEFINDER



**BLADE<sup>®</sup>**  
LASER RANGEFINDER



SCAN TO SWING BY  
VORTEX<sup>®</sup> GOLF

SEE PAGE 67 TO LEARN MORE ABOUT  
VORTEX<sup>®</sup> GOLF LASER RANGEFINDERS



# RIFLESCOPES



RIFLESCOPES

RED DOTS

BINOCULARS

LASER RANGEFINDERS

MONOCULARS

SPOTTING SCOPES

TRIPODS

11




PRECISION LONG-RANGE COMPETITION MIL/LE

# RAZOR® HD GEN III RIFLESCOPES

## EVERYTHING IS IN RANGE.

Razor® HD Gen III delivers the professional-grade performance you need when victory rides on a single shot. Trusted by MIL/LE operators and advanced competitors, it offers unmatched durability, enhanced low-light clarity, and long-range capability that's second to none. Built with an elite optical design, Razor® HD Gen III stands ready for the most demanding tactical environments.

- ▶ CLASS-LEADING HD OPTICAL SYSTEM
- ▶ FIRST FOCAL PLANE
- ▶ DAYLIGHT BRIGHT ILLUMINATION\*
- ▶ LOCKING ILLUMINATION DIAL
- ▶ L-TEC+™ ZERO SYSTEM\*
- ▶ ANODIZED STEALTH SHADOW® FINISH



\*On select models



**1-10x24**  
EBR-9 MRAD (FFP) RZR-11002  
EBR-9 BDC MOA (FFP) RZR-11001



**6-36x56**  
EBR-7D MRAD (FFP) RZR-63602  
EBR-7D MOA (FFP) RZR-63601

PRECISION LONG-RANGE COMPETITION MIL/LE



PRECISION LONG-RANGE COMPETITION MIL/LE

# RAZOR® HD GEN II RIFLESCOPES


## STRETCH YOUR LIMITS. MAKE DISTANCE DISAPPEAR.

Razor® HD Gen II delivers top-tier performance trusted by professional and competitive shooters. Powerful magnification. Superior resolution, clarity, and contrast. Robust locking turrets for crisp, tactile feedback and precise adjustments you can count on. Designed for extreme long-range precision and reliability when second place isn't an option, it ensures accuracy shot after shot in any conditions.



**4.5-27x56**  
HORUS™ TREMOR3™ MRAD (FFP) RZR-42709  
HORUS™ H59™ MRAD (FFP) RZR-42710  
EBR-7C MRAD (FFP) RZR-42708  
EBR-7C MOA (FFP) RZR-42707

- ▶ HD OPTICAL SYSTEM
- ▶ FIRST FOCAL PLANE
- ▶ LOCKING ILLUMINATION DIAL
- ▶ L-TEC™ ZERO SYSTEM
- ▶ ANODIZED STEALTH SHADOW® FINISH



COMPETITION MIL/LE

# RAZOR® HD GEN II-E RIFLESCOPES

## THE 'E' IS SILENT.

Razor® HD Gen II-E delivers enhanced performance in a lightweight, streamlined package for MIL/LE professionals and competitive shooters. Top-tier precision. Faster handling. Designed for those who demand superior optical clarity and mobility in high-speed, high-pressure engagements. Ready to dominate close-quarters and mid-range scenarios, the Razor® HD Gen II-E is built for the highest-level of performance — without compromise.



**1-6x24**  
VMR-2 MRAD (SFP) RZR-16009  
VMR-2 MOA (SFP) RZR-16010  
JM-1 BDC MOA (SFP) RZR-16008

- ▶ HD OPTICAL SYSTEM
- ▶ DAYLIGHT BRIGHT ILLUMINATION
- ▶ LOCKING ILLUMINATION DIAL
- ▶ ANODIZED STEALTH SHADOW® FINISH
- ▶ 30mm MAIN TUBE



\*Center dot illumination



WESTERN HUNTING

## RAZOR® HD LHT™ RIFLESCOPES

### BUILT FOR THE LONG RANGE AND THE LONG HAUL.

From the mountains to open country, the Razor® HD LHT™ is the precision riflescope you need to make distant shots feel easy. Stunning HD clarity and enhanced contrast reveal every detail, from counting kickers on a buck in dark timber or locking onto a tuft of shoulder hair over the vitals of an elk. Lightweight yet rugged, with push-button illumination and a rock-solid zero system, this top-of-the-line optic gives you the edge in the moments that matter most.

- ▶ HD OPTICAL SYSTEM
- ▶ ULTRA-LIGHTWEIGHT DESIGN
- ▶ EXPOSED LOCKING ELEVATION TURRET
- ▶ PUSH-BUTTON ILLUMINATION
- ▶ REVSTOP® ZERO SYSTEM
- ▶ 30mm MAIN TUBE



\*Center dot illumination



**3-15x42**  
HSR-5i MRAD (SFP) RZR-31502  
HSR-5i MOA (SFP) RZR-31501



**3-15x50**  
G4i BDC MRAD (SFP) RZR-31503



**4.5-22x50**  
XLR-2 MRAD (FFP) RZR-42202  
XLR-2 MOA (FFP) RZR-42201

## VIPER® HD RIFLESCOPES



### TAKE YOUR PLACE AT THE TOP OF THE FOOD CHAIN.

When success rides on the perfect shot, rely on the exceptional versatility and optical performance of Viper® HD. From predators to big game, river bottoms to the Rockies, there's a field-proven configuration for every hunting application. Ultra-rugged. Remarkably adaptable. Each member of the Viper® HD family delivers outstanding image clarity, resolution, and sharpness to ensure your target comes into view with sharp detail. Viper® HD also boasts enhanced features for unmatched accuracy at extended ranges while also excelling in the low light of dawn and dusk when game is most active.



WESTERN HUNTING

- ▶ HD OPTICAL SYSTEM
- ▶ PUSH-BUTTON ILLUMINATION
- ▶ EXPOSED LOCKING ELEVATION TURRET\*
- ▶ REVSTOP® ZERO SYSTEM\*
- ▶ 30mm MAIN TUBE



\*On select models  
\*\*Center dot illumination



**2-10x42 SFP**  
DEAD-HOLD® BDC MOA (SFP) VPR-21001 **NEW!**




**3-15x44**  
VMR-3 MRAD (SFP) VPR-31503 **NEW!**  
VMR-3 MOA (SFP) VPR-31502 **NEW!**  
DEAD-HOLD® BDC MOA (SFP) VPR-31501 **NEW!**



**5-25x50**  
VMR-4 MRAD (FFP) VPR-52502 **NEW!**  
VMR-4 MOA (FFP) VPR-52501 **NEW!**  
VMR-3 MRAD (SFP) VPR-52504 **NEW!**  
VMR-3 MOA (SFP) VPR-52503 **NEW!**

## CUSTOM TURRETS

MATCHED TO YOUR **EXACT** AMMO, RIFLE, AND ENVIRONMENT.  
FOR RAZOR® HD LHT™ & VIPER® HD RIFLESCOPES



RANGE.

DIAL TO RANGE.

SHOOT.



SCAN TO BUILD YOUR  
CUSTOM TURRET



# GOLDEN EAGLE® HD


## RIFLESCOPES

### REDEFINE YOUR EFFECTIVE RANGE.

Built for F-Class and Bench Rest shooters gunning for gold. The Golden Eagle® HD is engineered for tack-driving accuracy at extreme distances. Super-sharp resolution, powerful magnification, and fine second focal plane reticles bring long-range targets into crystal-clear focus. At just 29.7 ounces, it meets strict competition weight limits, delivering the precision, consistency, and confidence to take on any shot.

#### F-CLASS/BENCH REST SHOOTING

- ▶ HD OPTICAL SYSTEM
- ▶ APERTURE STOP RING
- ▶ TALL EXPOSED TURRETS
- ▶ EXTREMELY FINE SECOND FOCAL PLANE RETICLES
- ▶ ULTRA-PRECISE 1/8 MOA ADJUSTMENTS



ECR-1 MOA

SCR-1 MOA



15-60x52

ECR-1 MOA (SFP)  
SCR-1 MOA (SFP)

TCS-1503  
TCS-1501



#### ASR (APERTURE STOP RING)

Broadens the depth of field allowing the shooter to more easily observe down-range mirage and other wind indicators while keeping the target in focus.



#### WINDAGE TURRET

The Golden Eagle® HD comes with an optional 10 MOA windage turret for dialing a full 10 MOA revolution before the scale repeats.



# STRIKE EAGLE®

## RIFLESCOPES

LONG-RANGE SHOOTING


COMPETITION

RECREATIONAL SHOOTING

### PREPARE FOR IMMEDIATE IMPACT.

Strike Eagle® is your tactical powerhouse, delivering the versatility and optical performance to propel your shooting game higher. Rugged construction, great glass, advanced features — all to help you excel whether you're run-and-gun shooting or engaging targets out to 1,000 yards. Strike Eagle® adapts to every challenge, driving your skills to places you never thought possible.

- ▶ XD™ OPTICAL SYSTEM
- ▶ FIRST FOCAL PLANE\*
- ▶ ILLUMINATED RETICLE
- ▶ REVSTOP® ZERO SYSTEM\*
- ▶ EXPOSED LOCKING ELEVATION TURRET\*



EBR-7C MRAD

EBR-7C MOA

EBR-8 MOA

AR-BDC3 MOA



1-8x24

AR-BDC3 MOA (SFP) SE-1824-2



1-8x24

EBR-8 MOA (FFP) SE-1801



3-18x44

EBR-7C MRAD (FFP) SE-31802  
EBR-7C MOA (FFP) SE-31801



5-25x56

EBR-7C MRAD (FFP) SE-52504  
EBR-7C MOA (FFP) SE-52503

\*On select models



# VIPER® PST™ GEN II

## RIFLESCOPES

### WHEN ALL ELSE FAILS, THIS WON'T.

When every millisecond and millimeter matter, the Viper® PST™ Gen II delivers dependable precision trusted by competitors and MIL/LE professionals. Crisp turret adjustments. Striking clarity at every magnification. Fully loaded with features for serious tactical performance, Viper® PST™ Gen II is your next step in mastering precision shooting — because when it matters most, nothing less will do.

#### PRECISION LONG-RANGE / COMPETITION / MIL/LE

- ▶ XD™ OPTICAL SYSTEM
- ▶ ILLUMINATED RETICLE
- ▶ RZR™ ZERO SYSTEM\*
- ▶ 30mm MAIN TUBE



EBR-7C MRAD

EBR-7C MOA

EBR-4 MRAD

EBR-4 MOA

VMR-2 MOA\*\*



VMR-2 MRAD\*\*



1-6x24

VMR-2 MRAD (SFP) PST-1607  
VMR-2 MOA (SFP) PST-1605



2-10x32

EBR-4 MRAD (FFP) PST-2105  
EBR-4 MOA (FFP) PST-2101



3-15x44

EBR-7C MRAD (FFP) PST-3159  
EBR-7C MOA (FFP) PST-3156  
EBR-4 MOA (SFP) PST-3151



5-25x50

EBR-7C MRAD (FFP) PST-5259  
EBR-7C MOA (FFP) PST-5256  
EBR-4 MOA (SFP) PST-5251

\*On select models  
\*\*Center dot illumination



# VIPER<sup>®</sup>

## RIFLESCOPES

### PROVEN IN THE ONLY LAB THAT MATTERS.


Whether you're hunting Western big game, predators, or varmints, the Viper<sup>®</sup> 6.5-20x50 provides exceptional accuracy and control for ethical shots at medium to extended ranges. Its ultra-rugged construction withstands harsh weather and rough handling, ensuring reliable performance when you need it. A high magnification range, advanced second focal plane reticle, and outstanding optical clarity combine to deliver sharp target identification and hairsplitting shots at any distance.



**6.5-20x50**  
DEAD-HOLD<sup>®</sup> BDC MOA (SFP) VPR-M-06BDC  
MIL DOT MOA\* (SFP) VPR-M-06MD

#### VARMINT HUNTING WESTERN HUNTING

- ▶ XD<sup>™</sup> OPTICAL SYSTEM
- ▶ CAPPED TURRETS
- ▶ ADJUSTABLE PARALLAX
- ▶ 30mm MAIN TUBE



DEAD-HOLD<sup>®</sup> BDC MOA MIL DOT MOA\*

\*MRAD Reticle/MOA Turrets



# VENOM<sup>®</sup>

## RIFLESCOPES

### DARE TO DISCOVER HOW FAST AND ACCURATE YOU CAN BE.

Venom<sup>®</sup> is your bridge to long-range accuracy and tactical success—a workhorse optic that turns effort into results. Solid construction. Great glass quality with clarity and contrast that keeps you focused in any environment, whether you're locking onto close-quarters targets or stretching your limits at range. Built for shooters who need reliability, speed, and accuracy under pressure, its lineup delivers a perfect blend of utility and performance—getting you in the game and pushing you further with every shot.



**1-6x24**  
AR-BDC3 MOA (SFP) VEN-1601



**3-15x44**  
EBR-7C MRAD (FFP) VEN-31502  
EBR-7C MOA (FFP) VEN-31501



**5-25x56**  
EBR-7C MRAD (FFP) VEN-52502  
EBR-7C MOA (FFP) VEN-52501

#### LONG-RANGE SHOOTING RECREATIONAL SHOOTING

- ▶ XD<sup>™</sup> OPTICAL SYSTEM
- ▶ FIRST FOCAL PLANE\*
- ▶ REVSTOP<sup>®</sup> ZERO SYSTEM\*



EBR-7C MRAD EBR-7C MOA AR-BDC3 MOA

\*On select models



# DIAMONDBACK<sup>®</sup> TACTICAL

## RIFLESCOPES

### BEAT THE WIND, GRAVITY, AND YOUR PERSONAL BEST.

Diamondback<sup>®</sup> Tactical brings the hardworking legacy of the Diamondback<sup>®</sup> name into the tactical world, delivering trusted performance for shooters looking to extend their effective range. With solid construction and sharp, clear glass, it keeps you focused whether dialing in for mid-range shots or stretching out to 1,000 yards. Meant for new shooters seeking confidence in their windage and elevation adjustments. It's tough enough to withstand hard use while delivering tack-driving accuracy, shot after shot.



**4-12x40**  
VMR-1 MOA (SFP) DBK-10025




**4-16x44**  
EBR-2C MRAD (FFP) DBK-10027  
EBR-2C MOA (FFP) DBK-10026



**6-24x50**  
EBR-2C MRAD (FFP) DBK-10029  
EBR-2C MOA (FFP) DBK-10028

#### LONG-RANGE SHOOTING RECREATIONAL SHOOTING

- ▶ XD<sup>™</sup> OPTICAL SYSTEM
- ▶ FIRST FOCAL PLANE\*
- ▶ EXPOSED TURRETS



EBR-2C MRAD EBR-2C MOA VMR-1 MOA

\*On select models



# DIAMONDBACK<sup>®</sup>

## RIFLESCOPES

### GREATNESS RUNS IN THE FAMILY.

With a long legacy of proven grit, Diamondback<sup>®</sup> is a true workhorse, delivering hard-working reliability in a trusted lineup of models. Excellent low-light capability. Brilliant contrast and sharpness that serves up impressive images. Renowned for toughness and accuracy, it's built with durable construction and a lightweight design, giving hunters the confidence to push further and succeed in any terrain. Simple to use and rugged enough for any hunt, Diamondback<sup>®</sup> is made to go the distance, from the East to the Rockies and beyond.



**1.75-5x32**  
DEAD-HOLD<sup>®</sup> BDC MOA (SFP) DBK-08-BDC



**2-7x35 RIMFIRE**  
V-PLEX MOA (SFP) DBK-RIM



**3-9x40**  
DEAD-HOLD<sup>®</sup> BDC MOA (SFP) DBK-01-BDC  
V-PLEX MOA (SFP) DBK-M-01P




**3.5-10x50**  
DEAD-HOLD<sup>®</sup> BDC MOA (SFP) DBK-03-BDC



**4-12x40**  
DEAD-HOLD<sup>®</sup> BDC MOA (SFP) DBK-04-BDC

#### HUNTING

- ▶ XD<sup>™</sup> OPTICAL SYSTEM
- ▶ CAPPED TURRETS



DEAD-HOLD<sup>®</sup> BDC MOA V-PLEX MOA

# CROSSFIRE® II

RIFLESCOPES

## HUNT HIGH. HUNT LOW. HUNT HARD.

Built for hunters who value straightforward operation and lasting performance, Crossfire® II delivers reliable low-light capability, sharp resolution, and the accuracy needed for confident shots. Combining simplicity with capability, it gives you everything you need to put game on the ground, making it a trusted companion for hunters at every level.

### 30mm TUBE



**1-4x24 V-BRITE®**  
V-BRITE® MOA (SFP) CF2-31037



**2-7x32 CROSSBOW KIT**  
XBR® -2 MOA (SFP) CF2-CB1



**3-12x56 HOG HUNTER**  
V-BRITE® MOA (SFP) CF2-31049



**4-16x50**  
DEAD-HOLD® BDC MOA (SFP) CF2-31039



**6-24x50**  
DEAD-HOLD® BDC MOA (SFP) CF2-31045

### 1 INCH TUBE



**2-7x32**  
V-PLEX MOA (SFP) CF2-31002  
V-PLEX MOA (SFP) RIMFIRE CF2-31001R  
V-PLEX MOA (SFP) SCOUT CF2-31001  
DEAD-HOLD® BDC MOA (SFP) CF2-31003



**3-9x40**  
DEAD-HOLD® BDC MOA (SFP) CF2-31007  
V-PLEX MOA (SFP) CF2-31005



**3-9x40 V-BRITE®**  
V-BRITE® MOA (SFP) CF2-31025



**3-9x50**  
DEAD-HOLD® BDC MOA (SFP) CF2-31011  
STRAIGHT-WALL BDC MOA (SFP) CF2-31011SW



**3-9x50 V-BRITE®**  
V-BRITE® MOA (SFP) CF2-31027



**4-12x40**  
DEAD-HOLD® BDC MOA (SFP) CF2-31019



**4-12x44**  
DEAD-HOLD® BDC MOA (SFP) CF2-31015  
V-PLEX MOA (SFP) CF2-31013



**4-12x50**  
DEAD-HOLD® BDC MOA (SFP) CF2-31023




**6-18x44**  
DEAD-HOLD® BDC MOA (SFP) CF2-31033



**6-18x44 V-BRITE®**  
V-BRITE® MOA (SFP) CF2-31029

## HUNTING

- ▶ SD OPTICAL SYSTEM
- ▶ CAPPED TURRETS



DEAD-HOLD® BDC MOA



V-BRITE® MOA



XBR® -2 MOA



V-PLEX MOA



STRAIGHT-WALL BDC MOA

# RIFLESCOPE RINGS & MOUNTS

## PRECISION



### PRECISION RIFLESCOPE RINGS

**34mm** Low .92" PMR-34-92 / Medium 1.00" PMR-34-100  
Medium Plus 1.10" PMR-34-1.1 / High 1.26" PMR-34-126  
Extra High 1.45" PMR-34-145  
**30mm** Low .87" PMR-30-87 / Medium .97" PMR-30-97  
Medium .97" Weaver PMR-30-97-W / High 1.26" PMR-30-126  
Extra High 1.45" PMR-30-145  
**1 inch** .76" Weaver PMR-01-76-W



### PRECISION EXTENDED CANTILEVER MOUNTS

**34mm** 1.57" CM-534  
**34mm 20 MOA** 1.57" CM-534-20  
**30mm** 1.57" CM-530  
**30mm 20 MOA** 1.57" CM-530-20



### PRECISION QUICK-RELEASE EXTENDED CANTILEVER MOUNT

**30mm** 1.45" CM-404



### PRECISION DIVING BOARD MOUNTS

**34mm** PMR-DB-34  
**30mm** PMR-DB-30

## RIFLESCOPE ACCESSORIES

## PRO



### PRO RIFLESCOPE RINGS

**34mm** Low .95" PR34-L / Medium 1.10" PR34-M  
High 1.45" PR34-H  
**30mm** Low .90" PR30-L / Medium 1.00" PR30-M  
High 1.26" PR30-H / Extra High 1.54" PR30-XH  
**1 inch** Low .75" PR1-L / Medium .95" PR1-M



### PRO EXTENDED CANTILEVER MOUNTS

**34mm** 1.44" CVP-34  
**30mm** 1.44" CVP-30  
**1 inch** 1.44" CVP-1

## HUNTER



### HUNTER RIFLESCOPE RINGS

**30mm** Low .75" 30MRNG-L / Medium .94" 30MRNG-M  
High 1.22" 30MRNG-H  
**1 inch** Low .63" RING-L / Medium .87" RING-M  
High 1.22" RING-H

## SPORT



### SPORT CANTILEVER RIFLESCOPE MOUNTS

**30mm** 1.50" SCM-30-150  
**1 inch** 1.50" SCM-01-150



### PRO TORQUE WRENCH

PR-TW



### PRO LEVELING KIT

PR-LK



### DEFENDER® FLIP CAPS

Eyeiece E-10  
56mm Objective O-56 50mm Objective O-50  
44mm Objective O-44 40mm Objective O-40  
32mm Objective O-32 24mm Objective O-24



### SURE FIT RIFLESCOPE COVERS

X-Large SF-XL / Large SF-L  
Medium SF-M / Small SF-S



### SWITCHVIEW™ THROW LEVERS

46mm SV-5 / 49mm SV-3 / 44mm SV-2



### BUBBLE LEVELS

34mm BL34 / 30mm BL30 / 1 inch BL1



### LO PRO BUBBLE LEVELS


34mm LBL-34 / 30mm LBL-30 / 1 inch LBL-1



# RIFLESCOPE DIMENSIONS

These dimensions will help determine which rings and flip caps will work best for each riflescope. For more details, please visit the riflescope specification pages on our website.

**Note:** Dimensions measured in inches.



MODEL	LENGTH						HEIGHT		
	L1	L2	L3	L4	L5	L6	H1	H2	H3
<b>Razor® HD Gen III</b>									
6-36x56	15.25	1.95	2.25	6.20	5.50	3.55	2.56	1.80	0.17
1-10x24	10.10	2.00	2.50	6.34	0.40	3.40	1.33	1.81	0.20
<b>Razor® HD Gen II</b>									
4.5-27x56	14.40	1.96	2.17	6.11	4.13	4.10	2.55	1.81	0.18
<b>Razor® HD Gen II-E</b>									
1-6x24	10.10	2.50	1.50	5.67	0.85	3.60	1.29	1.81	0.12
<b>Razor® HD LHT™</b>									
4.5-22x50	13.25	1.90	2.20	5.61	4.20	3.40	2.33	1.70	0.12
3-15x50	13.59	2.16	2.10	5.73	4.30	3.40	2.32	1.70	0.10
3-15x42	13.39	2.67	2.08	6.24	3.75	3.40	2.01	1.70	0.12
<b>Golden Eagle® HD</b>									
15-60x52	16.10	3.50	2.28	7.50	5.51	3.09	2.41	1.73	0.15
<b>Viper® PST™ Gen II</b>									
5-25x50	15.79	2.37	2.58	6.59	5.60	3.59	2.30	1.81	0.12
3-15x44	14.30	2.32	2.59	6.56	4.15	3.59	2.08	1.81	0.13
2-10x32	12.64	2.36	2.53	6.54	2.52	3.59	1.61	1.81	0.12
1-6x24	10.83	3.00	2.19	6.85	0.50	3.44	1.29	1.81	0.13
<b>Viper® HD</b>									
5-25x50	15.20	2.10	1.80	5.50	6.30	3.40	2.30	1.70	0.21
3-15x44	13.20	2.10	1.80	5.50	4.30	3.40	2.03	1.70	0.21
2-10x42	12.10	2.10	1.80	5.50	3.50	3.40	1.95	1.70	0.21
<b>Viper®</b>									
6.5-20x50	14.44	2.80	2.20	6.37	4.80	3.24	2.27	1.72	0.12

MODEL	LENGTH						HEIGHT		
	L1	L2	L3	L4	L5	L6	H1	H2	H3
<b>Strike Eagle™</b>									
5-25x56	14.60	2.04	2.73	6.46	4.78	3.43	2.51	1.80	0.12
3-18x44	13.30	1.90	2.70	6.40	3.40	3.50	2.01	1.81	0.12
1-8x24 FFP	10.38	1.95	2.50	6.00	0.45	3.80	1.18	1.89	0.15
1-8x24	10.00	2.88	1.88	6.40	—	3.46	1.18	1.69	0.15
<b>Venom™</b>									
5-25x56	15.25	2.59	2.44	6.90	4.80	3.44	2.54	1.81	0.13
3-15x44	13.30	2.20	2.40	6.30	3.70	3.40	2.10	1.80	0.25
1-6x24	10.30	2.80	2.30	6.70	—	3.50	1.20	1.80	0.15
<b>Diamondback™ Tactical</b>									
6-24x50	14.28	2.30	2.70	6.56	3.98	3.77	2.25	1.73	0.15
4-16x44	14.06	2.24	2.70	6.43	3.83	3.77	2.01	1.73	0.15
4-12x40	14.08	1.90	2.15	5.30	5.30	3.43	1.86	1.71	0.12
<b>Diamondback™</b>									
4-12x40	12.00	2.46	2.15	5.85	3.00	3.10	1.89	1.69	0.11
3.5-10x50	12.50	2.15	2.10	5.48	3.85	3.10	2.29	1.69	0.10
3-9x40	11.61	2.00	2.10	5.40	3.07	3.10	1.89	1.69	0.09
2-7x35 Rimfire	11.60	1.83	2.10	5.16	3.35	3.10	1.72	1.69	0.09
1.75-5x32	10.20	1.90	1.96	5.10	1.90	3.10	1.55	1.69	0.10
<b>Crossfire™ II</b>									
6-24x50	14.50	1.97	2.60	5.90	5.00	3.60	2.52	1.73	0.09
6-18x44	13.46	1.97	2.20	5.40	4.55	3.52	2.30	1.61	0.10
4-16x50	14.37	1.90	2.30	5.60	5.16	3.60	2.52	1.73	0.09
4-12x50	14.30	2.20	2.20	5.66	5.07	3.56	2.54	1.73	0.10
4-12x44	13.43	2.30	1.90	5.50	4.27	3.60	2.01	1.71	0.09
4-12x40	13.60	2.25	1.88	5.50	4.67	3.60	2.16	1.68	0.09
3-12x56 Hog Hunter	13.46	1.57	2.05	5.00	5.00	3.54	2.80	1.73	0.10
3-9x50	12.80	2.00	1.80	5.10	4.10	3.65	2.27	1.73	0.09
3-9x40	12.20	2.10	1.82	5.10	3.50	3.60	1.89	1.68	0.10
2-7x32 Crossbow Kit	9.50	1.69	1.50	4.45	1.95	3.06	1.56	1.52	0.07
2-7x32 Scout	10.71	1.86	1.54	4.63	3.10	2.90	1.53	1.61	0.12
2-7x32 Rimfire	11.45	2.21	1.63	5.10	2.75	3.60	1.53	1.73	0.09
2-7x32	11.45	2.21	1.63	5.10	2.75	3.60	1.53	1.73	0.09
1-4x24	9.61	2.78	1.90	6.17	—	3.44	1.18	1.73	0.09

# RIFLESCOPE SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	FOCAL PLANE	RETICLE	ILLUMINATION	EYE RELIEF	LINEAR FIELD OF VIEW (@ 100 YARDS)	ZERO SYSTEM	TURRET STYLE	TUBE SIZE	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION ADJUSTMENT	MAX WINDAGE ADJUSTMENT	PARALLAX SETTING	LENGTH	WEIGHT
<b>Razor® HD Gen III</b>																
RZR-63602	6-36x56	FFP	EBR-7D MRAD	Yes	3.5"	20.5' - 3.5'	L-Tec+™	Exposed	34mm	.1 MRAD	10 MRAD	36.1 MRAD*	15.5 MRAD*	10 yds. - ∞	15.3"	45.1 oz.
RZR-63601			EBR-7D MOA							1/4 MOA	25 MOA	120 MOA*	52.5 MOA*			
<b>Razor® HD Gen II</b>																
RZR-11002	1-10x24	FFP	EBR-9 MRAD	Yes	3.6"	116.0' - 11.7'	N/A	Capped	34mm	.1 MRAD	10 MRAD	30 MRAD	30 MRAD	150 yds.	10.1"	21.5 oz.
RZR-11001			EBR-9 BDC MOA							1/4 MOA	25 MOA	120 MOA	120 MOA			
<b>Razor® HD Gen II-E</b>																
RZR-42709	4.5-27x56	FFP	Horus™ H59™ MRAD	Yes	3.7"	25.3' - 4.4'	L-Tec™	Exposed	34mm	.1 MRAD	10 MRAD	33 MRAD*	14 MRAD*	32 yds. - ∞	14.4"	48.5 oz.
RZR-42710			Horus™ Tremor3™ MRAD													
RZR-42708			EBR-7C MRAD													
RZR-42707			EBR-7C MOA							1/4 MOA	25 MOA	113.5 MOA*	48 MOA*			
<b>Razor® HD Gen II-E</b>																
RZR-16009	1-6x24	SFP	VMR-2 MRAD	Yes	4.0"	115.2' - 20.5'	N/A	Capped	30mm	.2 MRAD	20 MRAD	43 MRAD	43 MRAD	100 yds.	10.1"	21.5 oz.
RZR-16010			VMR-2 MOA							1/2 MOA	50 MOA	150 MOA	150 MOA			
RZR-16008			JM-1 BDC MOA													
<b>Razor® HD LHT™</b>																
RZR-42202	4.5-22x50	FFP	XLR-2 MRAD	Yes	4.0"	23.5' - 4.7'	RevStop®	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	6 MRAD	22.4 MRAD*	12.7 MRAD	25m - ∞	13.3"	21.7 oz.
RZR-42201			XLR-2 MOA							1/4 MOA	15 MOA	75 MOA*	45 MOA	25 yds. - ∞		
RZR-31503	3-15x50	SFP	G4i BDC MRAD	Yes	3.8"	35.3' - 7.0'	RevStop®	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	6 MRAD	23 MRAD*	23 MRAD	20m - ∞	13.6"	20.5 oz.
RZR-31502	3-15x42	SFP	HSR-5i MRAD	Yes	3.8"	35.3' - 7.0'	RevStop®	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	6 MRAD	23 MRAD*	23 MRAD	20m - ∞	13.4"	19.1 oz.
RZR-31501			HSR-5i MOA							1/4 MOA	15 MOA	80 MOA*	80 MOA	20 yds. - ∞		
<b>Golden Eagle® HD</b>																
TCS-1503	15-60x52	SFP	ECR-1 MOA	No	3.9"	6.3' - 1.7'	N/A	Exposed	30mm	1/8 MOA	10 MOA	55 MOA	45 MOA	20 yds. - ∞	16.1"	29.7 oz.
TCS-1501			SCR-1 MOA													
<b>Viper® PST™ Gen II</b>																
PST-5259	5-25x50	FFP	EBR-7C MRAD	Yes	3.4"	24.1' - 4.8'	RZR™	Exposed	30mm	.1 MRAD	10 MRAD	20 MRAD	10 MRAD	25 yds. - ∞	15.8"	31.2 oz.
PST-5256			EBR-7C MOA							1/4 MOA	25 MOA	70 MOA	35 MOA			
PST-5251			EBR-4 MOA													
PST-3159	3-15x44	FFP	EBR-7C MRAD	Yes	3.4"	41.2' - 8.6'	RZR™	Exposed	30mm	.1 MRAD	10 MRAD	22 MRAD	11 MRAD	20 yds. - ∞	14.3"	28.1 oz.
PST-3156			EBR-7C MOA							1/4 MOA	25 MOA	75 MOA	40 MOA			
PST-3151			EBR-4 MOA													
PST-2105	2-10x32	FFP	EBR-4 MRAD	Yes	3.2"	58.3' - 11.7'	RZR™	Exposed	30mm	.1 MRAD	10 MRAD	26 MRAD	26 MRAD	20 yds. - ∞	12.6"	26.3 oz.
PST-2101			EBR-4 MOA							1/4 MOA	25 MOA	90 MOA	90 MOA			
PST-1607	1-6x24	SFP	VMR-2 MRAD	Yes	3.8"	112.5' - 18.8'	N/A	Capped	30mm	.2 MRAD	16 MRAD	46 MRAD	46 MRAD	100 yds.	10.8"	22.7 oz.
PST-1605			VMR-2 MOA							1/2 MOA	40 MOA	160 MOA	160 MOA			

\*Zero system will limit travel.




# RIFLESCOPE SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	FOCAL PLANE	RETICLE	ILLUMINATION	EYE RELIEF	LINEAR FIELD OF VIEW (@ 100 YARDS)	ZERO SYSTEM	TURRET STYLE	TUBE SIZE	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION ADJUSTMENT	MAX WINDAGE ADJUSTMENT	PARALLAX SETTING	LENGTH	WEIGHT
<b>Viper® HD</b>																
VPR-52502	5-25x50	FFP	VMR-4 MRAD	Yes	3.4"	23.6' - 4.7'	RevStop®	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	10 MRAD	20 MRAD*	12.4 MRAD	20 yds. - ∞	15.2"	25.0 oz.
VPR-52501			VMR-4 MOA							1/4 MOA	25 MOA	68 MOA*	42 MOA			
VPR-52504		SFP	VMR-3 MRAD							.1 MRAD	10 MRAD	20 MRAD*	12.4 MRAD			
VPR-52503			VMR-3 MOA							1/4 MOA	25 MOA	68 MOA*	42 MOA			
VPR-31503	3-15x44	SFP	VMR-3 MRAD	Yes	3.4"	39.9' - 8.0'	RevStop®	Elevation: Exposed Windage: Capped	30mm	.1 MRAD	10 MRAD	30.5 MRAD*	27 MRAD	20 yds. - ∞	13.2"	22.5 oz.
VPR-31502			VMR-3 MOA							1/4 MOA	25 MOA	102 MOA*	92 MOA			
VPR-31501		Dead-Hold® BDC MOA	N/A							Capped	92 MOA	92 MOA				
VPR-21001		SFP	Dead-Hold® BDC MOA							Yes	3.4"	61.6' - 11.9'	N/A			
<b>Viper®</b>																
VPR-M-06BDC	6.5-20x50	SFP	Dead-Hold® BDC MOA	No	3.1"	17.4' - 6.2'	N/A	Capped	30mm	1/4 MOA	12 MOA	65 MOA	65 MOA	50 yds. - ∞	14.4"	21.6 oz.
VPR-M-06MD			Mil Dot MOA**													
<b>Strike Eagle®</b>																
SE-52504	5-25x56	FFP	EBR-7C MRAD	Yes	3.7"	24.0' - 5.2'	RevStop®	Exposed	34mm	.1 MRAD	10 MRAD	31 MRAD*	23 MRAD	15 yds. - ∞	14.6"	30.4 oz.
SE-52503			EBR-7C MOA							1/4 MOA	25 MOA	110 MOA*	78 MOA			
SE-31802	3-18x44	FFP	EBR-7C MRAD	Yes	3.8"	39.3' - 6.7'	RevStop®	Elevation: Exposed Windage: Capped	34mm	.1 MRAD	10 MRAD	45 MRAD*	18 MRAD	10 yds. - ∞	13.3"	26.6 oz.
SE-31801			EBR-7C MOA							1/4 MOA	25 MOA	154 MOA*	62 MOA			
SE-1801	1-8x24	FFP	EBR-8 MOA	Yes	3.9"	113.6' - 14.1'	N/A	Capped	30mm	1/4 MOA	25 MOA	145 MOA	145 MOA	125 yds.	10.4"	23.9 oz.
SE-1824-2		SFP	AR-BDC3 MOA	Yes	3.5"	109.0' - 14.4'	N/A	Capped	30mm	1/2 MOA	44 MOA	140 MOA	140 MOA	100 yds.	10.0"	17.4 oz.
<b>Venom®</b>																
VEN-52502	5-25x56	FFP	EBR-7C MRAD	No	3.6"	21.2' - 4.7'	RevStop®	Exposed	34mm	.1 MRAD	10 MRAD	25 MRAD*	25 MRAD	15 yds. - ∞	15.3"	35.0 oz.
VEN-52501			EBR-7C MOA							1/4 MOA	25 MOA	85 MOA*	85 MOA			
VEN-31502	3-15x44	FFP	EBR-7C MRAD	No	3.7"	42.4' - 8.4'	RevStop®	Elevation: Exposed Windage: Capped	34mm	.1 MRAD	10 MRAD	36 MRAD*	21 MRAD	10 yds. - ∞	13.3"	28.8 oz.
VEN-31501			EBR-7C MOA							1/4 MOA	25 MOA	124 MOA*	75 MOA			
VEN-1601	1-6x24	SFP	AR-BDC3 MOA	Yes	3.7"	126.0' - 20.2'	N/A	Capped	30mm	1/4 MOA	25 MOA	140 MOA	140 MOA	100 yds.	10.3"	19.5 oz.
<b>Diamondback® Tactical</b>																
DBK-10029	6-24x50	FFP	EBR-2C MRAD	No	3.9"	18.0' - 4.5'	N/A	Exposed	30mm	.1 MRAD	6 MRAD	19 MRAD	19 MRAD	10 yds. - ∞	14.3"	24.6 oz.
DBK-10028			EBR-2C MOA							1/4 MOA	15 MOA	65 MOA	65 MOA			
DBK-10027	4-16x44	FFP	EBR-2C MRAD	No	3.8"	26.9' - 6.7'	N/A	Exposed	30mm	.1 MRAD	6 MRAD	25 MRAD	25 MRAD	20 yds. - ∞	14.1"	23.1 oz.
DBK-10026			EBR-2C MOA							1/4 MOA	15 MOA	85 MOA	85 MOA			
DBK-10025	4-12x40	SFP	VMR-1 MOA	No	3.9"	23.6' - 7.9'	N/A	Exposed	1"	1/4 MOA	12 MOA	70 MOA	70 MOA	100 yds.	14.1"	17.5 oz.

\*Zero system may limit travel.

\*\*MRAD Reticle/MOA Turrets

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	FOCAL PLANE	RETICLE	ILLUMINATION	EYE RELIEF	LINEAR FIELD OF VIEW (@ 100 YARDS)	ZERO SYSTEM	TURRET STYLE	TUBE SIZE	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION ADJUSTMENT	MAX WINDAGE ADJUSTMENT	PARALLAX SETTING	LENGTH	WEIGHT
<b>Diamondback®</b>																
DBK-04-BDC	4-12x40	SFP	Dead-Hold® BDC MOA	No	3.1"	32.4' - 11.3'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	100 yds.	12.0"	14.2 oz.
DBK-03-BDC	3.5-10x50	SFP	Dead-Hold® BDC MOA	No	3.3"	35.8' - 13.5'	N/A	Capped	1"	1/4 MOA	15 MOA	65 MOA	65 MOA	100 yds.	12.5"	15.5 oz.
DBK-01-BDC	3-9x40	SFP	Dead-Hold® BDC MOA	No	3.3"	44.6' - 14.8'	N/A	Capped	1"	1/4 MOA	15 MOA	70 MOA	70 MOA	100 yds.	11.6"	14.5 oz.
DBK-M-01P			V-Plex MOA													
DBK-RIM	2-7x35 Rimfire	SFP	V-Plex MOA	No	3.1"	64.3' - 19.3'	N/A	Capped	1"	1/4 MOA	15 MOA	100 MOA	100 MOA	50 yds.	11.6"	13.7 oz.
DBK-08-BDC	1.75-5x32	SFP	Dead-Hold® BDC MOA	No	3.5"	68.3' - 23.1'	N/A	Capped	1"	1/4 MOA	15 MOA	125 MOA	125 MOA	100 yds.	10.2"	13.0 oz.
<b>Crossfire® II</b>																
CF2-31045	6-24x50	SFP	Dead-Hold® BDC MOA	No	4.0"	17.3' - 4.4'	N/A	Capped	30mm	1/4 MOA	15 MOA	40 MOA	40 MOA	10 yds. - ∞	14.5"	23.0 oz.
CF2-31029	6-18x44	SFP	V-Brite® MOA	Yes	3.7"	15.2' - 5.2'	N/A	Capped	1"	1/4 MOA	15 MOA	50 MOA	50 MOA	10 yds. - ∞	13.5"	20.8 oz.
CF2-31033			Dead-Hold® BDC MOA	No												
CF2-31039	4-16x50	SFP	Dead-Hold® BDC MOA	No	3.7"	25.0' - 6.0'	N/A	Capped	30mm	1/4 MOA	15 MOA	50 MOA	50 MOA	10 yds. - ∞	14.4"	22.3 oz.
CF2-31023	4-12x50	SFP	Dead-Hold® BDC MOA	No	3.9"	25.7' - 8.4'	N/A	Capped	1"	1/4 MOA	15 MOA	50 MOA	50 MOA	10 yds. - ∞	14.3"	21.6 oz.
CF2-31015	4-12x44	SFP	Dead-Hold® BDC MOA	No	3.9"	24.7' - 8.4'	N/A	Capped	1"	1/4 MOA	15 MOA	50 MOA	50 MOA	100 yds.	13.4"	15.6 oz.
CF2-31013			V-Plex MOA													
CF2-31019	4-12x40	SFP	Dead-Hold® BDC MOA	No	3.9"	24.7' - 8.4'	N/A	Capped	1"	1/4 MOA	15 MOA	50 MOA	50 MOA	10 yds. - ∞	13.6"	18.3 oz.
CF2-31049	3-12x56 Hog Hunter	SFP	V-Brite® MOA	Yes	3.5"	36.7' - 9.2'	N/A	Capped	30mm	1/4 MOA	15 MOA	60 MOA	60 MOA	10 yds. - ∞	13.5"	27.9 oz.
CF2-31027	3-9x50	SFP	V-Brite® MOA	Yes	3.8"	32.0' - 12.9'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	100 yds.	12.8"	18.0 oz.
CF2-31011			Dead-Hold® BDC MOA	No												
CF2-31011SW			Straight-Wall BDC MOA													18.4 oz.
CF2-31025	3-9x40	SFP	V-Brite® MOA	Yes	3.8"	34.1' - 12.6'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	100 yds.	12.2"	14.8 oz.
CF2-31007			Dead-Hold® BDC MOA	No												
CF2-31005			V-Plex MOA	No												
CF2-CB1	2-7x32 Crossbow Kit	SFP	XBR®-2 MOA	Yes	2.7"	57.5' - 16.4'	N/A	Capped	30mm	1/2 MOA	30 MOA	160 MOA	160 MOA	75 yds.	9.5"	14.0 oz.
CF2-31002	2-7x32 Scout	SFP	V-Plex MOA	No	9.5"	18.3' - 5.2'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	100 yds.	10.7"	12.0 oz.
CF2-31001R	2-7x32 Rimfire	SFP	V-Plex MOA	No	3.9"	42.0' - 12.6'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	50 yds.	11.5"	13.9 oz.
CF2-31003	2-7x32	SFP	Dead-Hold® BDC MOA	No	3.9"	42.0' - 12.6'	N/A	Capped	1"	1/4 MOA	15 MOA	60 MOA	60 MOA	100 yds.	11.5"	14.3 oz.
CF2-31001			V-Plex MOA													
CF2-31037	1-4x24	SFP	V-Brite® MOA	Yes	4.0"	96.1' - 24.1'	N/A	Capped	30mm	1/2 MOA	30 MOA	100 MOA	100 MOA	100 yds.	9.6"	15.6 oz.




## AR-BDC3 MOA

GLASS-ETCHED ILLUMINATED

Our exclusive AR-BDC3 reticle facilitates rapid shooting at distances out to 650 yards with popular .223/5.56mm and .308/7.62mm loads.

Strike Eagle®	p. 17
Venom®	p. 18




## EBR-4 MOA/MRAD

GLASS-ETCHED ILLUMINATED

The EBR-4 is a second focal plane ranging reticle with subtenation lines for ranging and holdovers. A fine, precise center crosshair is complimented by wide hashmarks on the lower stadia for quick windage corrections, despite the lack of a full windage tree.

Viper® PST™ Gen II	p. 16
--------------------	-------




## EBR-8 MOA

GLASS-ETCHED ILLUMINATED

Facilitates rapid shooting from point blank out to 600 yards with popular .223/5.56mm and .308/7.62mm loads. This reticle also can be used with a wide variety of other calibers and loads using the BDC hashmarks.

Strike Eagle®	p. 17
---------------	-------




## ECR-1 MOA

GLASS-ETCHED

Slightly thicker than the SCR-1 with additional numbered subtenations and a fine center aiming dot, the ECR-1 is a second focal plane optic designed specifically for bench rest and F-Class shooters.


Golden Eagle® HD	p. 16
------------------	-------



## DEAD-HOLD® BDC MOA

Customized hashmark design helps eliminate guesswork on holdover and windage corrections. Good for hunting and shooting at varying ranges, where estimating holdover is a concern.

Viper® HD*	p. 15	*Center dot illumination
Viper®	p. 18	
Diamondback®	p. 19	
Crossfire® II	p. 20	




## EBR-7C MOA/MRAD

GLASS-ETCHED ILLUMINATED

A hashmarked ranging reticle available in first focal plane, packed with useful subtenation data for long-range competition shooting.

Razor® HD Gen II	p. 13	
Viper® PST™ Gen II	p. 16	
Strike Eagle®	p. 17	
Venom®*	p. 18	*Non-Illuminated




## EBR-9 MRAD

DAYLIGHT BRIGHT GLASS-ETCHED ILLUMINATED

Designed for use in close-quarters and long-range shooting, the EBR-9 reticle can be used to effectively determine ranges, holdovers, and windage corrections.

Razor® HD Gen III	p. 12
-------------------	-------




## G4i BDC MRAD

ILLUMINATED CENTER DOT

Can be used effectively with a variety of firearms, including high powered rifles, rimfire rifles, blackpowder rifles, and slug shotguns. Also provides reference marks to compensate for bullet drop and drift in windy conditions.

Razor® HD LHT™	p. 14
----------------	-------




## EBR-2C MOA/MRAD

GLASS-ETCHED

Combining the utility of a hashmark reticle for ranging and holdovers with the fast, easy windage corrections of a windage tree, the first focal plane EBR-2C fits right in with long-range precision and competition shooters.

Diamondback® Tactical	p. 19
-----------------------	-------




## EBR-7D MOA/MRAD

GLASS-ETCHED ILLUMINATED

Designed to maximize long-distance shooting and ranging abilities, the EBR-7D first focal plane reticle can be used to effectively determine ranges, holdovers, windage corrections, and moving target leads.

Razor® HD Gen III	p. 12
-------------------	-------




## EBR-9 BDC MOA

DAYLIGHT BRIGHT GLASS-ETCHED ILLUMINATED

Designed for use in close-quarters and long-range shooting, the EBR-9 BDC reticle adds bullet drop compensation for accurate shots on targets of known distance.

Razor® HD Gen III	p. 12
-------------------	-------




## HORUS™ H59™ MRAD

GLASS-ETCHED ILLUMINATED

An MRAD based reticle with an incredible variety of accommodations for bullet-drop, wind corrections, spotting, and ranging. Designed for long-range precision shooters.


Razor® HD Gen II	p. 13
------------------	-------



**HORUS™ TREMOR3™ MRAD**  
GLASS-ETCHED ILLUMINATED

An MRAD based reticle built for long-range precision and even faster transitions, this reticle gets you all the accommodations you need for bullet-drop, wind corrections, spotting, and ranging.


**Razor® HD Gen II** p. 13



**HSR-5i MOA/MRAD**  
ILLUMINATED CENTER DOT

Effectively determines ranges, holdovers, windage corrections, and moving target leads. The fine center crosshair subtensions provide the optimum balance between precision aiming and low-light visibility.


**Razor® HD LHT™** p. 14



**JM-1 BDC MOA**  
DAYLIGHT BRIGHT ILLUMINATED CENTER DOT

Simple, intuitive, and fast. The Vortex® exclusive JM-1 BDC reticle with illuminated center dot was designed with input from world-renowned competitive shooter, instructor, and gunsmith Jerry Miculek. The JM-1 BDC facilitates rapid, accurate shooting at distances from point blank to 600 yards.

**Razor® HD Gen II-E** p. 13




**MIL DOT\***

The Mil Dot is the original tactical reticle with a long history of use as a rangefinder for snipers when electronic handheld units were not available.

**Viper®** p. 18


\*MRAD Reticle/MOA Turrets



**SCR-1 MOA**  
GLASS-ETCHED

With ultra-fine reticle thickness, the SCR-1 is a second focal plane reticle designed specifically for bench rest and F-Class shooters who need to be as precise at long-range as possible with minimal target coverage by the reticle.


**Golden Eagle® HD** p. 16



**STRAIGHT-WALL BDC MOA**

The Straight-Wall BDC reticle is optimized for popular straight-wall cartridges including .450 Bushmaster, 350 Legend, and .45-70 Government.

**Crossfire® II** p. 20




**V-BRITE® MOA**

GLASS-ETCHED ILLUMINATED CENTER DOT

Uses the V-Plex format with battery-powered electronics to illuminate the center dot for better low-light performance. Perfect for hunters and shooters during extra low-light conditions.

**Crossfire® II** p. 20




**V-PLEX MOA**

The V-Plex is a popular, all-purpose hunting reticle intended for a wide variety of applications.

**Diamondback®** p. 19

**Crossfire® II** p. 20




**VMR-1 MOA/MRAD**

The VMR-1 is a second focal plane, hashmarked reticle offering accurate holdovers and ranging capability at extended distances. Its simple, intuitive design gives just enough of the information hunters and shooters need while maintaining a clean, clutter-free sight picture.

**Diamondback® Tactical** p. 19



SCAN TO SEE MORE  
VORTEX® APPAREL




### VMR-2 MOA/MRAD

DAYLIGHT BRIGHT ILLUMINATED CENTER DOT

The VMR-2 is a second focal plane reticle designed specifically for low-powered variable optics. A center illuminated dot makes for fast acquisition on 1x, while hashmarks on the lower and horizontal stadia allow for ranging, holdover, and windage corrections on high power.

Razor® HD Gen II-E p. 13

Viper® PST™ Gen II p. 16




### XBR®-2 MOA

GLASS-ETCHED RED/GREEN ILLUMINATED

Designed specifically for modern crossbows of varying speeds, the BDC system delivers fast and accurate shot placement out to 100 yards.

Crossfire® II p. 20




### VMR-3 MOA/MRAD

ILLUMINATED CENTER DOT

Maximizes long-distance shooting with fine center crosshairs that balance precision aiming and low-light visibility, aiding hunters in holdovers, wind corrections, and moving target leads.

Viper® HD p. 15




### XLR-2 MOA/MRAD

GLASS-ETCHED ILLUMINATED

The XLR-2 reticle is an illuminated, long-range reticle with elevation and windage reference sub-tensions. Great for long-range shooters and hunters who prefer to hold for bullet-drop and wind at distance.

Razor® HD LHT™ p. 14



### VMR-4 MOA/MRAD

GLASS ETCHED ILLUMINATED

Maximizes long-distance shooting with ultra-precision laser-etched crosshairs that balance precision aiming and low-light visibility, helping hunters with range determination, holdovers, wind corrections, and moving target leads. Includes windage reference dots on drop lines.

Viper® HD p. 15

# FROM RANGE DAY

# TO EVERYDAY

VORTEX® EYEWEAR



SCAN TO LEARN ABOUT EYEWEAR



# RED DOTS





MIL/LE CLOSE-QUARTERS BATTLE

## AMG® UH-1® GEN II HOLOGRAPHIC SIGHTS

### UNSTOPPABLE, DAY OR NIGHT.

An unbeatable combination of speed, accuracy, and durability, the AMG® UH-1® Gen II is trusted by MIL/LE professionals and advanced competitors. Combat-tested. Night-vision compatible. Engineered for endurance, with a precision-marked holographic reticle to amplify accuracy. Every element — from the streamlined design that eliminates weapon snags to the FHQ™ technology that cuts stray light emissions — ensures you're the master of close-quarter engagements, day or night.

- ▶ ZERO IMAGE DISTORTION
- ▶ 8 NIGHT-VISION SETTINGS
- ▶ LARGE VIEWING WINDOW
- ▶ NO FORWARD SIGNATURE
- ▶ INTEGRATED QUICK-RELEASE MOUNT




EBR-CQB 1 MOA RETICLE AMG-HS02



EBR-CQB 1 MOA RETICLE AMG-HS02T **NEW!**

### EBR-CQB 1 MOA RETICLE



The clean, highly versatile, purpose-built reticle creates optimal target engagement in a wide range of scenarios.


#### FHQ™ Technology

Fusion Hologram with Quantum Well Light Control (FHQ) Technology virtually eliminates stray light emissions for stealth shooter signature in low light and prevents eyepiece glare common to other holographic sights.



MIL/LE SELF-DEFENSE RECREATIONAL SHOOTING

- ▶ SOLAR POWERED, WITH AUTO D-TEC TECHNOLOGY
- ▶ UP TO 150,000 HOUR BATTERY RUN TIME
- ▶ MOTION ACTIVATION WITH 10 MINUTE AUTO-SHUTOFF
- ▶ NIGHT-VISION COMPATIBLE
- ▶ MULTI-HEIGHT MOUNTING SYSTEM



2 MOA RED DOT

## SPARC® SOLAR RED DOT

### CARRY THE SUN INTO THE STORM.

The SPARC® SOLAR brings incredible reliability and endurance to the tactical world, harnessing solar power for up to 150,000 hours of run time. A workhorse red dot built for tactical shooters who don't take breaks. Designed to adapt seamlessly to any lighting condition, it delivers a precise point of aim in any shooting situation — near or far, day or night. Armed with Auto D-TEC technology that shifts seamlessly between solar and battery power, so your red dot is always ready and all-around built to last.



2 MOA RED DOT SPC-404




SOLAR PANEL



MIL/LE SELF-DEFENSE RECREATIONAL SHOOTING

- ▶ UP TO 50,000 HOUR BATTERY RUN TIME
- ▶ REAR-FACING ILLUMINATION CONTROL
- ▶ 12 HOUR AUTO-SHUTOFF
- ▶ NIGHT-VISION COMPATIBLE
- ▶ MULTI-HEIGHT MOUNTING SYSTEM



2 MOA RED DOT

## SPARC® AR RED DOT

### IT TAKES A SPARC® TO LIGHT A FIRE.

From box and barricade drills to night shooting, the SPARC® AR is designed for high-speed tactical scenarios. Built to handle the abuse of repeated use, its 50,000-hour battery run time keeps you going through long training sessions without a break. Compact and rugged, it's the workhorse that keeps you sharp and ready for every challenge, no matter how intense the pace.



2 MOA RED DOT SPC-AR2





# STRIKEFIRE® II

RED DOTS

## STRIKE WHILE THE BARREL'S HOT.

The StrikeFire® II delivers fast target acquisition and dependable performance for tactical training and range sessions. Whether you're drilling close quarters or working midrange shots from cover, this red dot is built to keep you on target. The tube-style design provides increased protection and a familiar sight picture, perfect for shooters who value simplicity and ruggedness. Ready for regular use at the range, it's a solid choice for shooters looking for reliable performance without the complexity.




4 MOA RED DOT SF-BR-504  
4 MOA RED/GREEN DOT SF-RG-501

### RECREATIONAL SHOOTING

### SELF-DEFENSE

- ▶ 12-HOUR AUTO-SHUTOFF
- ▶ NIGHT-VISION COMPATIBLE
- ▶ INTEGRATED FLIP CAPS
- ▶ CANTILEVER MOUNT INCLUDED



4 MOA RED/GREEN DOT



# CROSSFIRE®

RED DOTS

## MAKE IT RAIN BRASS, RAIN OR SHINE.

Crossfire® delivers the red dot speed and accuracy to shooters looking to get the most out of their AR, shotgun, or rimfire rifles. It's versatile, no-nonsense design gets you on target fast, with easy controls and rugged reliability that lasts. Built to defy weather, regular field and range use and abuse, Crossfire® is your key to getting more thrill out of shooting without the complexity.



2 MOA RED DOT CF-RD2  
2 MOA GREEN DOT CF-GD2 **NEW!**



2 MOA RED DOT CF-RD2-T **NEW!**




### RECREATIONAL SHOOTING


### SELF-DEFENSE

### HUNTING

- ▶ UP TO 50,000 HOUR BATTERY LIFE
- ▶ NIGHT-VISION COMPATIBLE
- ▶ MULTI-HEIGHT MOUNTING SYSTEM



2 MOA RED DOT



2 MOA GREEN DOT



# SPITFIRE™ HD GEN II

PRISM SCOPES

## BUILT SMALL TO GO BIG.

For shooters who need more reach without sacrificing speed, the Spitfire™ HD Gen II is built to excel at mid-range engagements. Its fixed magnification delivers sharp, accurate shots with its etched-glass reticle that stays visible even without illumination. Rugged, reliable, and ready for action, it's uniquely designed for those who need an ideal balance of close-quarters speed and extended-range accuracy.



5x AR-BDC4 MOA SPR-500



3x AR-BDC4 MOA SPR-300



### RECREATIONAL SHOOTING

- ▶ HD OPTICAL SYSTEM
- ▶ ULTRA COMPACT & LIGHTWEIGHT
- ▶ 14 HOUR AUTO-SHUTOFF
- ▶ NIGHT-VISION COMPATIBLE
- ▶ MULTI-HEIGHT MOUNTING SYSTEM



AR-BDC4 MOA RETICLE

A BDC reticle built to get the most out of the 5.56 cartridge in your AR, this reticle provides both rapid target acquisition and the tools for holdovers out to 650 yards.

Note – Prism scopes are not compatible with magnifiers.



# SPITFIRE™ AR

PRISM SCOPE

## DOOR KICKING, DOWN RANGE BANG MACHINE.

When fast target acquisition in tight spaces is mission-critical, the Spitfire™ AR delivers with precision and competitive speed. Designed for close-quarters engagements — with a prism design preferred by shooters with astigmatism — it offers 1x magnification and an etched reticle for rapid, accurate shots...with or without a battery. Compact, lightweight, and built to thrive in high-pressure shooting environments, the Spitfire™ AR keeps you focused on your next move without slowing you down.




DRT-MOA RED/GREEN RETICLE SPR-200



### RECREATIONAL SHOOTING

- ▶ RED/GREEN ILLUMINATION
- ▶ REAR-FACING ILLUMINATION CONTROL
- ▶ 14 HOUR AUTO-SHUTOFF
- ▶ NIGHT-VISION COMPATIBLE
- ▶ LOWER 1/3 CO-WITNESS MOUNT



DRT MOA RETICLE

Note – Prism scopes are not compatible with magnifiers.



# DEFENDER-XL™


MICRO RED DOTS

## MAKES FAST WORK OF FIERCE COMPETITION.

The rush of competitive shooting brings us all together. But when you want an optic that sets you apart, depend on the Defender-XL™. Target to target. Stage to stage. It's designed tough as nails around a massive sight window that delivers greater peripheral vision and increased speed for follow-up shots, so you always come out on top.



- 2 MOA RED DOT DFXL-MRD2 **NEW!**
- 3 MOA GREEN DOT DFXL-MGD3 **NEW!**
- 5 MOA RED DOT DFXL-MRD5 **NEW!**
- 8 MOA RED DOT DFXL-MRD8 **NEW!**



### COMPETITION

- ▶ LARGE HARD COATED LENS
- ▶ MOTION ACTIVATION WITH 10 MINUTE AUTO-SHUTOFF
- ▶ SHOCKSHIELD™ POLYMER INSERT
- ▶ FAST-RACK™ TEXTURED GRIP
- ▶ DELTAPoint® PRO FOOTPRINT
- ▶ PICATINNY MOUNT INCLUDED

# DEFENDER-CCW™


MICRO RED DOTS

## CARRY WITH CONVICTION.

Arm yourself with the red dot specifically built for modern everyday carry. Slim profile for discreet concealment. Motion activated. Fits full-size to micro-compacts. The large sight window and brilliant bright dot combine for first-shot speed to target in any light. Meant for those who prioritize personal protection, the Defender-CCW™ delivers the function, quickness, and accuracy you need to come out on top when life is on the line.



- 3 MOA RED DOT DFCCW-MRD3
- 3 MOA GREEN DOT DFCCW-MGD3 **NEW!**
- 6 MOA RED DOT DFCCW-MRD6



SUPER LOW DECK HEIGHT ALLOWS FOR CO-WITNESSING MOST FACTORY IRON SIGHTS.

### CONCEALED CARRY / SELF-DEFENSE

- ▶ LARGE HARD COATED LENS
- ▶ MOTION ACTIVATION WITH 10 MINUTE AUTO-SHUTOFF
- ▶ SHOCKSHIELD™ POLYMER INSERT
- ▶ FAST-RACK™ TEXTURED GRIP
- ▶ SHIELD RMS FOOTPRINT
- ▶ PICATINNY MOUNT INCLUDED

# DEFENDER-ST™


MICRO RED DOTS

## THE DO-IT-ALL MICRO RED DOT.

Handguns. Shotguns. Offset on a carbine. Whether running drills at the range or holding the line during rigorous duty use, the all-purpose Defender-ST™ delivers the toughness, accuracy, and adaptability your challenging world needs.



- 3 MOA RED DOT DFST-MRD3 **NEW!**
- 3 MOA GREEN DOT DFST-MGD3 **NEW!**
- 6 MOA RED DOT DFST-MRD6 **NEW!**



### SELF-DEFENSE / RECREATIONAL SHOOTING / MIL/LE

- ▶ LARGE HARD COATED LENS
- ▶ MOTION ACTIVATION WITH 10 MINUTE AUTO-SHUTOFF
- ▶ SHOCKSHIELD™ POLYMER INSERT
- ▶ FAST-RACK™ TEXTURED GRIP
- ▶ DELTAPoint® PRO FOOTPRINT
- ▶ PICATINNY MOUNT INCLUDED



RANGE-DAY RUGGED.

# REAL-WORLD

# TOUGH.



**DEFENDER**  
MICRO RED DOT SERIES  
SCAN TO LEARN MORE




HUNTING

## VIPER® SHOTGUN ENCLOSED MICRO RED DOTS


### LOW PROFILE. RUGGED. SHOTGUN READY.

Purpose-built for the fast pace of turkey hunting and wingshooting, the Viper® Shotgun Enclosed Micro Red Dot delivers an ultra-low-profile design and wide field of view for intuitive shooting and superior recoil control. Its enclosed design and integrated universal mount ensures seamless operation and maximum protection against the elements.


- ▶ ENCLOSED ALUMINUM HOUSING
- ▶ LARGE ASPHERICAL LENS
- ▶ MOTION ACTIVATION WITH 10 MINUTE AUTO-SHUTOFF
- ▶ INTEGRATED UNIVERSAL MOUNTING SYSTEM




3 MOA RED DOT



3 MOA DOT




3 MOA DOT  
32 MOA CIRCLE



3 MOA DOT  
65 MOA CIRCLE



3 MOA DOT  
32 MOA / 65 MOA CIRCLES



32 MOA CIRCLE



65 MOA CIRCLE



32 MOA CIRCLE  
65 MOA CIRCLE



3 MOA RED DOT  
RED MULTI-RETICLE RED DOT

VPR-SGMRD3-E  
VPR-SGMRD3-MR-E

NEW!

NEW!



SCAN TO  
SEE MORE  
VORTEX®  
APPAREL



## RED DOT ACCESSORIES

### MAGNIFIERS



### MICRO6X

MAGNIFIER V6XM

#### TAKE YOUR RED DOT 6X FARTHER.

The Micro6x magnifier is ready to hit the range straight out of the box. Compact and built tough, it lets tactical shooters go from close- to mid-range engagements with extra magnification for identifying and hitting targets farther out. Designed for competition and combat, the Micro6x gives you a tactical edge with its patented cam-lock system for quick transitions and enhanced visual detail, stretching your effective range with a simple flip of the wrist.

Note – Recommended for use with Vortex® AMG® UH-1® Gen II, SPARC® SOLAR, and Strikefire® II sights. Not compatible with prism scopes.



### MICRO3X

MAGNIFIER V3XM

#### MAG ON. MAG OFF.

The Micro3x magnifier is made for quick, close-quarters transitions and is ready to go right out of the box. Compact and lightweight, it offers fast target acquisition at point-blank range while giving you the magnification needed to extend your effective range. Whether you're running drills or maneuvering tight spaces, it's designed to boost situational awareness and keep you quick on your feet without sacrificing accuracy.

Note – The Micro3x magnifier will work with any of our red dots. Any existing parallax in the optic will also be magnified. The Micro3x will not work with prism scopes.



### 3X MAGNIFIER

MAGNIFIER VXM-3T

#### MAKE LIGHT WORK OF LONG-RANGE.

Endurance engineered for high-frequency operation, the 3x Magnifier delivers precise shot placement and rock-solid stability for mid-range engagements. Continuous-deployment ready, its pushbutton design allows for seamless transitions between 1x and 3x, giving you fast adaptability in any scenario. Built to pair with larger optics and heavier firearms, it delivers high-intensity reliability and extended operational durability when it matters most.

Note – The 3x Magnifier will work with any of our red dots. Any existing parallax in the optic will also be magnified. The 3x Magnifier will not work with prism scopes.

### ACCESSORIES



#### SPORT CANTILEVER RED DOT RING

30mm Ring Lower 1/3 Co-Witness CM-304  
30mm Ring Absolute Co-Witness CM-305



#### TACTICAL 30mm RING

30mm Low TRL 0.83° / Medium TRM 0.97° / High TRH 1.18°  
Extra-High Absolute CW TRXHAC 37mm  
Extra-High Lower 1/3 CW TRXH 40mm



#### AR15 RISER MOUNT

MT-5108



#### CR2032 BATTERY HOLDER

BH-2032



UNLIMITED.  
UNCONDITIONAL.  
LIFETIME WARRANTY.



## RED DOT SPECS

SKU	DOT SIZE	DOT COLOR	HOUSING COLOR	BATTERY TYPE	BATTERY RUN TIME	EYE RELIEF	MAGNIFICATION	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION ADJUSTMENT	MAX WINDAGE ADJUSTMENT	PARALLAX SETTING	LENGTH	WEIGHT (W/BATTERY & HIGHEST MOUNT)
<b>AMG® UH-1™ Gen II</b>														
AMG-HS02	EBR-CQB 1 MOA	Bright Red	Black	CR123A	1,000 hrs.	Unlimited	1x	1/2 MOA	16.5 MOA	100 MOA	100 MOA	Parallax Free	3.9"	11.6 oz.
AMG-HS02T			Tan											
<b>SPARC® SOLAR</b>														
SPC-404	2 MOA	Bright Red	Black	CR2032	150,000 hrs.	Unlimited	1x	1 MOA	42 MOA	100 MOA	100 MOA	Parallax Free	2.6"	5.9 oz.
<b>SPARC® AR</b>														
SPC-AR2	2 MOA	Bright Red	Black	AAA	50,000 hrs.	Unlimited	1x	1 MOA	40 MOA	90 MOA	90 MOA	Parallax Free	2.9"	8.6 oz.
<b>Strikefire® II</b>														
SF-BR-504	4 MOA	Bright Red	Black	CR2	50,000 hrs.	Unlimited	1x	1/2 MOA	30 MOA	100 MOA	100 MOA	Parallax Free	5.6"	12.8 oz.
SF-RG-501		Red/Green			360 hrs.									
<b>Crossfire®</b>														
CF-RD2		Bright Red	Black											
CF-RD2-T	2 MOA		Tan	CR2032	50,000 hrs.	Unlimited	1x	1 MOA	40 MOA	100 MOA	100 MOA	Parallax Free	2.5"	5.3 oz.
CF-GD2		Bright Green	Black											
<b>Defender-XL™</b>														
DFXL-MRD8	8 MOA	Bright Red	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	25 MOA	120 MOA	115 MOA	Parallax Free	2.0"	1.93 oz.
DFXL-MRD5	5 MOA	Bright Red	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	25 MOA	120 MOA	115 MOA	Parallax Free	2.0"	1.93 oz.
DFXL-MGD3	3 MOA	Bright Green	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	25 MOA	120 MOA	115 MOA	Parallax Free	2.0"	1.93 oz.
DFXL-MRD2	2 MOA	Bright Red	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	25 MOA	120 MOA	115 MOA	Parallax Free	2.0"	1.93 oz.
<b>Defender-ST</b>														
DFST-MRD6	6 MOA	Bright Red	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	25 MOA	115 MOA	145 MOA	Parallax Free	1.8"	1.48 oz.
DFST-MRD3	3 MOA	Bright Red	Black	CR2032	25,000 hrs.	Unlimited	1x	1 MOA	25 MOA	115 MOA	145 MOA	Parallax Free	1.8"	1.48 oz.
DFST-MGD3		Bright Green												
<b>Defender-CCW™</b>														
DFCCW-MRD6	6 MOA	Bright Red	Black	CR1632	9,500 hrs.	Unlimited	1x	1 MOA	30 MOA	110 MOA	105 MOA	Parallax Free	1.6"	0.95 oz.
DFCCW-MRD3	3 MOA	Bright Red	Black	CR1632	9,500 hrs.	Unlimited	1x	1 MOA	30 MOA	110 MOA	105 MOA	Parallax Free	1.6"	0.95 oz.
DFCCW-MGD3		Bright Green												
<b>Viper® Shotgun Enclosed</b>														
VPR-SGMRD3-MR-E	Multi-Reticle	Bright Red	Black	CR2032	50,000 hrs.	Unlimited	1x	1 MOA	30 MOA	100 MOA	100 MOA	Parallax Free	4.9"	2.14 oz.
VPR-SGMRD3-E	3 MOA	Bright Red	Black	CR2032	50,000 hrs.	Unlimited	1x	1 MOA	30 MOA	100 MOA	100 MOA	Parallax Free	4.9"	2.14 oz.

## PRISM SCOPE SPECS

SKU	MAGNIFICATION	OBJECTIVE LENS DIAMETER	RETICLE	RETICLE COLOR	HOUSING COLOR	LINEAR FIELD OF VIEW (@ 100 YARDS)	BATTERY TYPE	EYE RELIEF	ADJUSTMENT GRADUATION	TRAVEL PER ROTATION	MAX ELEVATION ADJUSTMENT	MAX WINDAGE ADJUSTMENT	PARALLAX SETTING	LENGTH	WEIGHT (W/BATTERY & HIGHEST MOUNT)
<b>Spitfire™ HD Gen II</b>															
SPR-500	5x	25mm	AR-BDC4 MOA	Red	Black	23.3'	CR2032	2.7"	1 MOA	42 MOA	200 MOA	200 MOA	100 yds.	3.6"	10.8 oz.
SPR-300	3x	21mm	AR-BDC4 MOA	Red	Black	37.9'	CR2032	2.6"	1 MOA	42 MOA	250 MOA	250 MOA	100 yds.	3.0"	9.3 oz.
<b>Spitfire™ AR</b>															
SPR-200	1x	25mm	DRT MOA	Red/Green	Black	79.0'	AAA	3.8"	1/2 MOA	30 MOA	120 MOA	120 MOA	Parallax Free	4.5"	11.2 oz.

**LOW PROFILE.  
RUGGED.  
SHOTGUN READY.**



**VIPER®**  
SHOTGUN ENCLOSED MICRO RED DOT  
SCAN FOR A COMPLETE LIST  
OF COMPATIBLE SHOTGUNS

# BINOCULARS





## RAZOR® UHD

FULL / COMPACT-SIZE BINOCULARS

### URNS MOUNTAINS OF SOLITUDE INTO PEAKS OF ADRENALINE.

Whether sizing up a buck in dark timber or judging a ram's curl from a mountain away, rely on the superior optical quality of Razor® UHD. Spectacular glass, rugged construction, and unmatched low-light performance combine in a lineup that stands at the peak of Vortex® optical technology. Nothing overlooked. No detail too fine. For those who know unforgettable moments don't happen by chance, Razor® UHD delivers the edge your once-in-a-lifetime hunts demand.



**32mm**  
8x32 RZB-0832 *NEW!*  
10x32 RZB-1032 *NEW!*



**42mm**  
8x42 RZB-0842  
10x42 RZB-1042



**50mm**  
10x50 RZB-1050  
12x50 RZB-1250



**56mm**  
18x56 RZB-1856

- ▶ UHD OPTICAL SYSTEM
- ▶ UNPARALLELED IMAGE RESOLUTION
- ▶ XR™ PLUS LENS COATINGS
- ▶ LOCKING DIOPTER
- ▶ MAGNESIUM CHASSIS
- ▶ TRIPOD ADAPTABLE



**GREEN GLASSPAK™ PRO**  
**BINOCULAR HARNESS**  
*INCLUDED*



WESTERN HUNTING WILDLIFE OBSERVATION



## RAZOR® HD

FULL-SIZE BINOCULARS

### NEVER MISS THE TROPHY FOR THE TREES.

Lightweight but powerful, Razor® HD binoculars deliver the clarity and durability serious hunters rely on to spot game hidden in shadows or across vast terrain. Whether glassing distant ridges at dawn or scanning dense timber for the flick of an ear or glint of an antler tine, Razor® HD provides bright, crisp views and an ultra-rugged build, letting you cover more ground and find more opportunities that lead to success.



**42mm**  
8x42 RZB-2101  
10x42 RZB-2102



**50mm**  
10x50 RZB-2103  
12x50 RZB-2104

WESTERN HUNTING WILDLIFE OBSERVATION

- ▶ HD OPTICAL SYSTEM
- ▶ XR™ PLUS LENS COATINGS
- ▶ LOCKING DIOPTER
- ▶ MAGNESIUM CHASSIS
- ▶ TRIPOD ADAPTABLE



**GLASSPAK™**  
*INCLUDED*



## KAIBAB® HD

FULL-SIZE BINOCULAR

### THE POWER TO MOVE MOUNTAINS.


Long-range glassing requires patience, but the right optics make it easier. Kaibab® HD puts every ridge and valley within your reach, giving you the power to spot distant game without taking a single step. Designed for hunters who are serious about every stalk, it combines the comfort of binoculars with the high magnification of spotting scopes. Paired with a tripod, Kaibab® HD helps you make the right call when that moment of truth comes into view.



**56mm**  
18x56 KAI-5618

WESTERN HUNTING LONG-RANGE SHOOTING WILDLIFE OBSERVATION

- ▶ HD OPTICAL SYSTEM
- ▶ XR™ PLUS LENS COATINGS
- ▶ INCLUDES TRIPOD ADAPTER



HUNTING WILDLIFE OBSERVATION

## VIPER® HD

FULL-SIZE BINOCULARS

### BUILT TO HUNT WHERE OTHERS FEAR TO TREAD.

Viper® HD delivers outstanding clarity, rugged durability, and the versatility to keep up with hunters who embrace the tough, unpredictable conditions lasting memories are made from. With sharp resolution that brings every detail into focus and a lightweight, ergonomic build that won't wear you down, Viper® HD gives you the upper hand — keeping you ready to glass longer and move farther without missing a thing.



**42mm**  
8x42 V200  
10x42 V201



**50mm**  
10x50 V202  
12x50 V203

- ▶ HD OPTICAL SYSTEM
- ▶ XR™ LENS COATINGS
- ▶ LOCKING DIOPTER
- ▶ TRIPOD ADAPTABLE



GLASSPAK™  
INCLUDED



HUNTING WILDLIFE OBSERVATION

- ▶ HD OPTICAL SYSTEM
- ▶ FULLY MULTI-COATED LENSES
- ▶ TRIPOD ADAPTABLE



**28mm**  
8x28 DB-210  
10x28 DB-211



**32mm**  
8x32 DB-212  
10x32 DB-213



**42mm\***  
8x42 DB-214  
10x42 DB-215



**50mm\***  
10x50 DB-215  
12x50 DB-217



**56mm\***  
15x56 DB-218

## DIAMONDBACK® HD

FULL / COMPACT-SIZE BINOCULARS

### EXPERIENCE LOVE AT FIRST LIGHT.

Made for hunters who demand hard-working, reliable optics, the Diamondback® HD delivers sharp resolution, enhanced contrast, and rugged durability. Lightweight yet tough enough to go the distance, it's a strong lineup designed to handle any kind of hunt. A true workhorse, Diamondback® HD gives you the clarity, utility, and trust you need to consistently punch more tags.



GLASSPAK™  
INCLUDED  
\*SELECT MODELS ONLY



HUNTING WILDLIFE OBSERVATION

- ▶ HD OPTICAL SYSTEM
- ▶ FULLY MULTI-COATED LENSES
- ▶ TRIPOD ADAPTABLE



**42mm**  
8x42 CF-4311  
10x42 CF-4312



**50mm**  
10x50 CF-4313  
12x50 CF-4314

## CROSSFIRE® HD

FULL-SIZE BINOCULARS

### MORE COLOR. MORE FIDELITY. MORE FILLED TAGS.

For impressive image quality, sharpness, and lasting durability, Crossfire® HD gets the job done. Constructed with quality materials and made for practical hunters at every level, it offers solid low-light performance and a straightforward design. Simple, capable, reliable — everything you need for hunting success.



GLASSPAK™  
INCLUDED



## TRIUMPH<sup>®</sup> HD

FULL-SIZE BINOCULAR

### PROOF THAT LESS IS THE NEW MORE.

Triumph<sup>®</sup> HD binoculars deliver solid performance for outdoor enthusiasts and hunters who value quality gear. Stow them in your truck, backpack, or go-bag. Together with the built-in reliability Vortex<sup>®</sup> is known for, this binocular offers impressive image quality, sharpness, light transmission, and ergonomics thought to be reserved only for elite gear.



GLASSPAK<sup>™</sup>  
INCLUDED



42mm  
10x42 TRI-1042

HUNTING WILDLIFE OBSERVATION

- ▶ HD OPTICAL SYSTEM
- ▶ FULLY MULTI-COATED LENSES
- ▶ TRIPOD ADAPTABLE



## VANQUISH<sup>®</sup>

COMPACT BINOCULARS

### SMALL WONDER.

Vanquish<sup>®</sup> packs big performance into a compact package, offering sharp, bright images with a wide field of view for quick scanning. At just 12.7 ounces, it's lightweight and easy to carry — a perfect fit for your daypack when scouting or slipping out for a quick hunt.



26mm  
8x26 VNQ-0826  
10x26 VNQ-1026

WILDLIFE OBSERVATION

- ▶ SD OPTICAL SYSTEM
- ▶ FULLY MULTI-COATED LENSES



## BANTAM<sup>®</sup> HD

YOUTH BINOCULAR

### CLEAR. RUGGED. DEPENDABLE. FOR BIGGER THINGS AHEAD.

Streamlined and lightweight so they're easy to carry around. Solid construction and simple-to-use controls so it's easy to find distant wildlife fast. Bantam<sup>®</sup> HD combines everything you love about Vortex<sup>®</sup> quality and lifetime service in a rugged binocular that's ergonomically designed for smaller hands and faces.



32mm  
6.5x32 BTM-6532

HUNTING WILDLIFE OBSERVATION

- ▶ HD OPTICAL SYSTEM
- ▶ DESIGNED FOR YOUTH HANDS AND FACES
- ▶ FULLY MULTI-COATED LENSES
- ▶ TRIPOD ADAPTABLE



## RAPTOR<sup>™</sup>

COMPACT BINOCULARS

### RECONNECT WITH YOUR WILD SIDE.

Raptor<sup>™</sup> binoculars bring you bright, crisp images in a versatile design that accommodates a wide range of interpupillary distance to fit everyone in the family. Built with high-quality glass for bright, sharp images, they deliver porro prism performance in a mid-size, wide-angle package — perfect for everyone from beginners to seasoned outdoor enthusiasts.



32mm  
8.5x32 R385  
10x32 R310

WILDLIFE OBSERVATION

- ▶ SD OPTICAL SYSTEM
- ▶ FULLY MULTI-COATED LENSES



# BINOCULAR ACCESSORIES

## GLASSPAK™ PRO BINOCULAR HARNESS + ACCESSORIES



### GLASSPAK™ PRO BINOCULAR HARNESS P600-L / P600-S KEEPS EVERYTHING YOU WANT EXACTLY WHERE YOU NEED IT.

Tough, weather-resistant, and padded to shield against scratches and dings, the GlassPak™ Pro delivers peace-of-mind and fast access to essential gear. With modular attachment points for accessories, it's easy to adjust and comfortable, whether sprinting to head off an animal or crawling through underbrush closing the distance on a trophy. Available in two sizes for small and large glass.



**NEW!**  
GLASSPAK™ PRO HAND MUFF  
GP-MUFF-T



**NEW!**  
GLASSPAK™ PRO HOLSTER  
GP-HOLSTER-T



**NEW!**  
GLASSPAK™ PRO  
LARGE ZIPPER POUCH  
GP-LPOUCH-T



**NEW!**  
GLASSPAK™ PRO  
SMALL ZIPPER POUCH  
GP-SPOUCH-T



**NEW!**  
GLASSPAK™ PRO  
BEAR SPRAY POUCH  
GP-BSPOUCH-T




**NEW!**  
GLASSPAK™ PRO  
LASER RANGEFINDER POUCH  
GP-LRFOUCH-T



**NEW!**  
GLASSPAK™ PRO  
COMFORT NECK STRAP  
GP-NECKSTRAP-T

# A MODULAR SYSTEM THAT ADAPTS TO YOUR HUNT.



## GLASSPAK™ PRO ACCESSORIES

SCAN TO CHECK OUT THE NEW LINEUP

## GLASSPAK™ BINOCULAR HARNESSES



### GLASSPAK™ SPORT BINOCULAR HARNESS P500-L / P500-S FIT AND FUNCTION IN PERFECT BALANCE.

For the mobile, minimalist hunter who needs fast access to optics in unpredictable conditions, the GlassPak™ Sport offers lightweight protection and secure storage. It's tough, all-weather design shields against the elements, while adjustable straps keep you comfortable. Built for action, it keeps essential gear within easy reach.



### GLASSPAK™ BINOCULAR HARNESS P400 EVERYTHING IN ITS PLACE.

The GlassPak™ binocular harness lets you carry a full range of full-size binoculars and all the tools you need to glass on the move, keeping everything close at hand and secure so you can focus on the hunt.



# BINOCULAR SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	CLOSE FOCUS	EYE RELIEF	INTERPUPILLARY DISTANCE	DIOPTR RANGE	PRISM TYPE	PRISM MATERIAL	HEIGHT	WIDTH	WEIGHT
<b>Razor® UHD</b>												
RZB-1856	18x56	194'	3.7°	10.0'	18.0mm	56mm - 76mm	+/- 8	Roof-Abbe Koenig	BK7	8.3"	6.1"	41.6 oz.
RZB-1250	12x50	288'	5.5°	6.6'	17.0mm	56mm - 76mm	+/- 6	Roof-Abbe Koenig	BK7	7.6"	5.8"	36.1 oz.
RZB-1050	10x50	341'	6.5°	6.6'	18.0mm	56mm - 76mm	+/- 4	Roof-Abbe Koenig	BK7	7.6"	5.9"	36.5 oz.
RZB-1042	10x42	346'	6.6°	4.5'	16.7mm	56mm - 76mm	+/- 6	Roof-Abbe Koenig	BK7	7.0"	5.6"	32.2 oz.
RZB-0842	8x42	420'	8.0°	4.5'	16.7mm	56mm - 76mm	+/- 4	Roof-Abbe Koenig	BK7	7.0"	5.6"	32.2 oz.
RZB-1032	10x32	388'	7.4°	5.9'	17.0mm	55mm - 75mm	+/- 8	Roof-Schmidt Pechan	BK7	5.7"	5.1"	21.9 oz.
RZB-0832	8x32	472'	9.0°	5.9'	18.0mm	55mm - 75mm	+/- 6	Roof-Schmidt Pechan	BK7	5.7"	5.1"	21.9 oz.
<b>Razor® HD</b>												
RZB-2104	12x50	285'	5.4°	10.0'	15.5mm	57mm - 74mm	+/- 3.5	Roof-Schmidt Pechan	BaK4 + BaK7	6.8"	5.1"	28.7 oz.
RZB-2103	10x50	315'	6.0°	10.0'	16.5mm	57mm - 74mm	+/- 3.5	Roof-Schmidt Pechan	BaK4 + BaK7	6.8"	5.1"	28.1 oz.
RZB-2102	10x42	362'	6.9°	6.0'	16.5mm	55mm - 75mm	+/- 3.5	Roof-Schmidt Pechan	BaK4 + BaK7	5.9"	5.1"	24.8 oz.
RZB-2101	8x42	388'	7.4°	6.0'	17.5mm	55mm - 75mm	+/- 3.5	Roof-Schmidt Pechan	BaK4 + BaK7	5.9"	5.1"	24.2 oz.
<b>Kaibab® HD</b>												
KAI-5618	18x56	194'	3.7°	19.8'	16.4mm	60mm - 76mm	+/- 3	Roof-Schmidt Pechan	BaK4 + BaK7	7.7"	5.7"	43.5 oz.
<b>Viper® HD</b>												
V203	12x50	288'	5.5°	8.0'	16.0mm	59mm - 75mm	+/- 4	Roof-Schmidt Pechan	BaK4 + BaK7	6.5"	5.2"	28.8 oz.
V202	10x50	346'	6.6°	8.0'	16.0mm	59mm - 75mm	+/- 2.5	Roof-Schmidt Pechan	BaK4 + BaK7	6.5"	5.2"	28.4 oz.
V201	10x42	341'	6.5°	6.0'	17.0mm	55mm - 74mm	+/- 4	Roof-Schmidt Pechan	BaK4 + BaK7	5.6"	4.9"	24.9 oz.
V200	8x42	409'	7.8°	6.0'	18.0mm	55mm - 74mm	+/- 2.5	Roof-Schmidt Pechan	BaK4 + BaK7	5.6"	4.9"	24.5 oz.
<b>Diamondback® HD</b>												
DB-218	15x56	230'	4.4°	14.0'	15.6mm	59mm - 76mm	+/- 3	Roof-Schmidt Pechan	BaK4	7.1"	5.8"	34.8 oz.
DB-217	12x50	271'	5.2°	6.0'	14.0mm	60mm - 75mm	+/- 5	Roof-Schmidt Pechan	BaK4	6.4"	5.3"	28.9 oz.
DB-216	10x50	315'	6.0°	6.0'	17.0mm	60mm - 75mm	+/- 5	Roof-Schmidt Pechan	BaK4	6.6"	5.3"	30.0 oz.
DB-215	10x42	330'	6.3°	5.0'	15.0mm	55mm - 73mm	+/- 4	Roof-Schmidt Pechan	BaK4	5.7"	5.1"	21.3 oz.
DB-214	8x42	393'	7.5°	5.0'	17.0mm	55mm - 73mm	+/- 4	Roof-Schmidt Pechan	BaK4	5.7"	5.1"	21.8 oz.
DB-213	10x32	340'	6.5°	6.0'	14.0mm	57mm - 73mm	+/- 4	Roof-Schmidt Pechan	BaK4	4.4"	5.0"	16.0 oz.
DB-212	8x32	426'	8.1°	5.0'	16.0mm	55mm - 72mm	+/- 4	Roof-Schmidt Pechan	BaK4	4.4"	5.0"	15.9 oz.
DB-211	10x28	273'	5.1°	6.0'	16.0mm	57mm - 73mm	+/- 3	Roof-Schmidt Pechan	BaK4	4.6"	4.5"	13.3 oz.
DB-210	8x28	332'	6.2°	6.0'	18.0mm	55mm - 72mm	+/- 3	Roof-Schmidt Pechan	BaK4	4.6"	4.5"	13.7 oz.

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	CLOSE FOCUS	EYE RELIEF	INTERPUPILLARY DISTANCE	DIOPTR RANGE	PRISM TYPE	PRISM MATERIAL	HEIGHT	WIDTH	WEIGHT
<b>Crossfire® HD</b>												
CF-4314	12x50	273'	5.2°	6.0'	15.0mm	60mm - 76mm	+/- 3	Roof-Schmidt Pechan	BaK4	6.6"	5.3"	29.5 oz.
CF-4313	10x50	320'	6.1°	6.0'	17.0mm	60mm - 76mm	+/- 3	Roof-Schmidt Pechan	BaK4	6.7"	5.3"	30.4 oz.
CF-4312	10x42	325'	6.2°	6.0'	15.0mm	58mm - 75mm	+/- 3	Roof-Schmidt Pechan	BaK4	6.0"	5.2"	23.0 oz.
CF-4311	8x42	393'	7.5°	6.0'	17.0mm	57mm - 74mm	+/- 3	Roof-Schmidt Pechan	BaK4	6.2"	5.2"	23.8 oz.
<b>Triumph® HD</b>												
TRI-1042	10x42	334'	6.4°	15.3'	17.0mm	55mm - 75mm	+/- 5	Roof	BaK4	6.1"	5.0"	22.9 oz.
<b>Raptor®</b>												
R310	10x32	339'	6.3°	15.0'	13.0mm	50mm - 70mm	+/- 4	Porro	BaK4	5.0"	6.2"	19.0 oz.
R385	8.5x32	390'	7.4°	15.0'	14.0mm	50mm - 70mm	+/- 4	Porro	BaK4	5.0"	6.2"	18.7 oz.
<b>Vanquish®</b>												
VNQ-1026	10x26	294'	5.6°	7.6'	16.0mm	57mm - 71mm	+/- 2	Reverse Porro	BaK4	4.3"	4.6"	12.7 oz.
VNQ-0826	8x26	352'	6.7°	7.6'	15.0mm	57mm - 71mm	+/- 2	Reverse Porro	BaK4	4.3"	4.6"	12.7 oz.
<b>Bantam® HD</b>												
BTM-6532	6.5x32	400'	7.6°	12.0'	18.7mm	51mm - 69mm	+/- 2	Roof	BaK4	4.9"	4.8"	14.4 oz.



A NEW ERA OF  
**OBSERVATION.**



**RAZOR® UHD**  
BINOCULARS  
SCAN TO CHECK OUT THE FAMILY



# LASER RANGEFINDERS



RIFLESCOPES

RED DOTS

BINOCULARS

LASER RANGEFINDERS

MONOCULARS

SPOTTING SCOPES

TRIPODS

59



# IMPACT® 4000

BALLISTIC RAIL-MOUNTED LASER RANGEFINDER

## RANGE SMARTER. SHOOT FARTHER.

For long-range competitors and open-country hunters, the Impact® 4000 delivers range, ballistic, and environmental data all-in-one, without you having to ever come off the gun. Intuitive to use. Rugged and reliable. This advanced, rail-mounted laser rangefinder integrates seamlessly with your rifle, providing point-and-shoot solutions — functioning in places your smartphone can't for deadly speed and precision no matter where you are.



LRF-IMP4000

ML 30°  
U 11.95  
L 0.30  
1000 Y




BLUETOOTH® REMOTE INCLUDED

- ▶ CONVENIENT WIND/DROP SOLUTIONS
- ▶ ON-BOARD GEOBALLISTICS® SOLVER
- ▶ 10 CUSTOMIZABLE BALLISTIC PROFILES
- ▶ ON-BOARD ENVIRONMENTAL SENSORS
- ▶ VORTEX RELAY™ CONNECTIVITY
- ▶ MAX REFLECTIVE RANGE: UP TO 4000 YDS.
- ▶ TREE RANGE: UP TO 2500 YDS.
- ▶ DEER RANGE: UP TO 1500 YDS.

PRECISION LONG-RANGE WESTERN HUNTING COMPETITION

## RANGING & TARGET MODES



### RANGING MODES

- HORIZONTAL COMPONENT DISTANCE (HCD)**  
Angle compensated distance to target.
- LINE OF SIGHT (LOS)**  
Actual line of sight range.
- BALLISTICS (BAL)**  
Actual line of sight range with wind/drop solution.


### TARGET MODES

- NORMAL MODE**  
Displays strongest returned range.
- EXTENDED LASER RANGE MODE (ELR)**  
Ideal for ranging targets at extreme distances.

# SHOOT FARTHER WITH GEOBALLISTICS®



GeoBallistics® is a powerful ballistic solver and app that makes long-range shooting easier for every level of hunter and shooter. Combining range, weather, wind, and custom rifle and bullet profiles, it's quite simply the easiest way to create quick, reliable, wind/drop solutions in the field.



SCAN TO DOWNLOAD GEOBALLISTICS® FREE ON YOUR DEVICE





WESTERN HUNTING | PRECISION LONG-RANGE | COMPETITION

## RAZOR® HD 4000 GB

BALLISTIC LASER RANGEFINDER

### MORE PRECISE SHOOTING. LESS JUGGLING DEVICES.

One device. All the range, environmental, and ballistic data you need to make the shot of a lifetime, every time. For precision shooters and open-country hunters, the Razor® HD 4000 GB eliminates the guesswork from longer shots — delivering critical data for first-shot accuracy at the push of a button. Designed for rugged reliability, it's ready to deliver hair-splitting confidence whether you're targeting a trophy above the treeline, across an open prairie, or ringing steel out to 4000 yards.



PREMIUM CARRY CASE INCLUDED



7x25 LRF-252

- ▶ CONVENIENT IN-DISPLAY WIND/DROP SOLUTIONS
- ▶ ON-BOARD GEOBALLISTICS® SOLVER
- ▶ 3 CUSTOMIZABLE BALLISTIC PROFILES
- ▶ ON-BOARD ENVIRONMENTAL SENSORS
- ▶ HD OPTICAL SYSTEM
- ▶ RED BACKLIT LCD DISPLAY
- ▶ MAX REFLECTIVE RANGE: UP TO 4000 YDS.
- ▶ TREE RANGE: UP TO 2500 YDS.
- ▶ DEER RANGE: UP TO 2200 YDS.



IN DISPLAY WIND/DROP SOLUTIONS



WESTERN HUNTING

## FURY® HD 5000

LASER RANGEFINDING BINOCULAR

### SIMPLIFY. MAGNIFY.

One trip into the backcountry with a heavy pack and you know: the less you carry, the better. The Fury® HD 5000 laser rangefinding binocular combines two of your most essential hunting tools into one powerful unit for ultra-fast, efficient glassing and ranging. One-handed button and focus control allow for effortless use of both functions, so you can quickly find and range targets without ever taking your eyes off the game.



GLASSPAK™ INCLUDED



10x42 LRF301

- ▶ HD OPTICAL SYSTEM
- ▶ RED OLED DISPLAY
- ▶ TRIPOD ADAPTABLE
- ▶ MAX REFLECTIVE RANGE: UP TO 5000 YDS.
- ▶ TREE RANGE: UP TO 2400 YDS.
- ▶ DEER RANGE: UP TO 1600 YDS.

### RANGING & TARGET MODES



#### RANGING MODES

**HORIZONTAL COMPONENT DISTANCE (HCD)**  
Angle compensated distance to target.

**BALLISTICS (BAL)**  
Actual line of sight range with wind/drop solution.

**SCAN**  
Displays continuous distance readings when panning.

#### TARGET MODES

**NORMAL MODE**  
Displays strongest returned range.

**FIRST MODE**  
Displays closest returned range.

**LAST MODE**  
Displays furthest returned range.

**EXTENDED LASER RANGE MODE (ELR)**  
Ideal for ranging targets at extreme distances.

### RANGING & TARGET MODES



#### RANGING MODES

**HORIZONTAL COMPONENT DISTANCE (HCD)**  
Angle compensated distance to target.

**LINE OF SIGHT (LOS)**  
Actual line of sight range.

**SCAN**  
Displays continuous distance readings when panning.

#### TARGET MODES

**BEST MODE**  
Displays strongest returned range.

**LAST MODE**  
Displays furthest returned range.



## RAZOR® HD 4000

### LASER RANGEFINDER

#### GO THE DISTANCE. THEN RANGE IT.

When the game comes down to inches the window of opportunity is small, the Razor® HD 4000 delivers the ranging data you need to make your first shot count. Its advanced modes adapt to any field conditions, providing consistent, repeatable performance when you can't afford to miss. Compact and rugged. Capable of ranging reflective targets out to 4,000 yards. It's designed for serious hunters and shooters who demand performance that will never let them down.



**PREMIUM CARRY CASE INCLUDED**

#### WESTERN HUNTING / PRECISION LONG-RANGE

- ▶ HD OPTICAL SYSTEM
- ▶ RED BACKLIT LCD DISPLAY
- ▶ TRIPOD ADAPTABLE
- ▶ MAX REFLECTIVE RANGE: UP TO 4000 YDS.
- ▶ TREE RANGE: UP TO 2500 YDS.
- ▶ DEER RANGE: UP TO 2200 YDS.



7x25 LRF-250



#### RANGING MODES

**HORIZONTAL COMPONENT DISTANCE (HCD)**  
Angle compensated distance to target.

**LINE OF SIGHT (LOS)**  
Actual line of sight range.

**SCAN**  
Displays continuous distance readings when panning.

#### TARGET MODES

**NORMAL MODE**  
Displays strongest returned range.

**FIRST MODE**  
Displays closest returned range.

**LAST MODE**  
Displays furthest returned range.

**EXTENDED LASER RANGE MODE (ELR)**  
Ideal for ranging targets at extreme distances.

#### HUNTING

- ▶ HD OPTICAL SYSTEM
- ▶ RED OLED DISPLAY
- ▶ TRIPOD ADAPTABLE
- ▶ MAX REFLECTIVE RANGE: UP TO 2000 YDS.
- ▶ TREE RANGE: UP TO 1800 YDS.
- ▶ DEER RANGE: UP TO 1400 YDS.



7x24 LRF-DB2000



#### RANGING MODES

**HORIZONTAL COMPONENT DISTANCE (HCD)**  
Angle compensated distance to target.

**LINE OF SIGHT (LOS)**  
Actual line of sight range.

**SCAN**  
Displays continuous distance readings when panning.

#### TARGET MODES

**NORMAL MODE**  
Displays strongest returned range.

**LAST MODE**  
Displays furthest returned range.

## DIAMONDBACK® HD 2000

### LASER RANGEFINDER

#### WORKHORSE RELIABILITY. EVERY HUNT. EVERY SEASON.

Made for practical hunters who value no-excuses performance, Diamondback® HD 2000 is your ranging workhorse in the field. Built tough to withstand the abuse your hardest hunts can dish out, its easy-to-use controls and high-definition optical system handle everything from point-blank shots in tight timber to longer-distance game with shoulder-crushing accuracy. Simple. Tough. Reliable. It's the rangefinder that lives up to its tag-punching promise, hunt after hunt.



**SOFT CARRY CASE INCLUDED**

#### HUNTING / LONG-RANGE SHOOTING

- ▶ HD OPTICAL SYSTEM
- ▶ RED OLED DISPLAY
- ▶ TRIPOD ADAPTABLE
- ▶ MAX REFLECTIVE RANGE: UP TO 3000 YDS.
- ▶ TREE RANGE: UP TO 2300 YDS.
- ▶ DEER RANGE: UP TO 2000 YDS.



7x25 LRF-VP3000



#### RANGING MODES

**HORIZONTAL COMPONENT DISTANCE (HCD)**  
Angle compensated distance to target.

**LINE OF SIGHT (LOS)**  
Actual line of sight range.

**SCAN**  
Displays continuous distance readings when panning.

#### TARGET MODES

**NORMAL MODE**  
Displays strongest returned range.

**FIRST MODE**  
Displays closest returned range.

**LAST MODE**  
Displays furthest returned range.


**EXTENDED LASER RANGE MODE (ELR)**  
Ideal for ranging targets at extreme distances.

#### HUNTING

- ▶ HD OPTICAL SYSTEM
- ▶ RED TOLED DISPLAY
- ▶ MAX REFLECTIVE RANGE: UP TO 1400 YDS.
- ▶ TREE RANGE: UP TO 950 YDS.
- ▶ DEER RANGE: UP TO 750 YDS.



5x21 LRF-CF1400



#### RANGING MODES

**HORIZONTAL COMPONENT DISTANCE (HCD)**  
Angle compensated distance to target.

**LINE OF SIGHT (LOS)**  
Actual line of sight range.

**SCAN**  
Displays continuous distance readings when panning.

#### TARGET MODES

**NORMAL MODE**  
Displays strongest returned range.

**FIRST MODE**  
Displays closest returned range.

**LAST MODE**  
Displays furthest returned range.

## CROSSFIRE® HD 1400

### LASER RANGEFINDER

#### HUNTS AS HARD AS YOU DO.

Whether you're threading an arrow through tight timber or stretching your reach across an open plain, Crossfire® HD 1400 delivers pure, ranging function and the reliable data you need for confident shots every time. Built tough for the field, with an HD optical system and intuitive controls, the Crossfire® HD 1400 is your no-nonsense rangefinder for confident shooting that fills the freezer.



**SOFT CARRY CASE INCLUDED**



## RAIL-MOUNTED LASER RANGEFINDER SPECS

SKU	DISPLAY SIZE	DISPLAY TYPE	MAX REFLECTIVE RANGE (UP TO)	TREE RANGE (UP TO)	DEER RANGE (UP TO)	MIN RANGE	ACCURACY (@ 100 YARDS)	LENGTH	HEIGHT	WIDTH	WEIGHT
<b>Impact<sup>®</sup> 4000</b>											
LRF-IMP4000	1.3"	LCD	4000 yds.	2500 yds.	1500 yds.	5 yds.	+/- .5 yds.	4.6"	2.5"	3.2"	16.0 oz.

## LASER RANGEFINDING BINOCULAR SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	CLOSE FOCUS	EYE RELIEF	INTERPUPILLARY DISTANCE	DIOPTER RANGE	MAX REFLECTIVE RANGE (UP TO)	TREE RANGE (UP TO)	DEER RANGE (UP TO)	MIN RANGE	HEIGHT	WIDTH	WEIGHT
<b>Fury<sup>®</sup> HD 5000</b>														
LRF301	10x42	321'	6.1°	18.5'	16.0mm	58mm - 72mm	+/- 3	5000 yds.	2400 yds.	1600 yds.	5 yds.	5.8"	5.0"	32.3 oz.

## LASER RANGEFINDER SPECS

SKU	MAGNIFICATION	OBJECTIVE LENS DIAMETER	MAX REFLECTIVE RANGE (UP TO)	TREE RANGE (UP TO)	DEER RANGE (UP TO)	MIN RANGE	ACCURACY (@ 100 YARDS)	MAX ANGLE READING	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	EYE RELIEF	LENGTH	HEIGHT	WIDTH	WEIGHT
<b>Razor<sup>®</sup> HD 4000 GB</b>															
LRF-252	7x	25mm	4000 yds.	2500 yds.	2200 yds.	5 yds.	+/- .5 yds.	+/- 89°	341'	6.5°	17.5mm	4.4"	3.2"	1.7"	10.1 oz.
<b>Razor<sup>®</sup> HD 4000</b>															
LRF-250	7x	25mm	4000 yds.	2500 yds.	2200 yds.	5 yds.	+/- .5 yds.	+/- 89°	341'	6.5°	17.5mm	4.4"	3.1"	1.7"	9.9 oz.
<b>Viper<sup>®</sup> HD 3000</b>															
LRF-VP3000	7x	25mm	3000 yds.	2300 yds.	2000 yds.	6 yds.	+/- 1 yd.	+/- 89°	314'	6.0°	15.5mm	4.2"	3.1"	1.7"	9.1 oz.
<b>Diamondback<sup>®</sup> HD 2000</b>															
LRF-DB2000	7x	24mm	2000 yds.	1800 yds.	1400 yds.	5 yds.	+/- 1 yd.	+/- 60°	335'	6.4°	16.0mm	4.1"	3.1"	1.8"	7.6 oz.
<b>Crossfire<sup>®</sup> HD 1400</b>															
LRF-CF1400	5x	21mm	1400 yds.	950 yds.	750 yds.	5 yds.	+/- 1 yd.	+/- 89°	367'	7.0°	16.0mm	4.0"	2.9"	1.3"	4.8 oz.



Chase fun.  
**KEEP SCORE.**




## ANARCH<sup>®</sup>

IMAGE STABILIZED LASER RANGEFINDER

READY. STEADY. SCORE.

Whether it's ranging in the wind, from long distance, or a shot that's the difference between winning that side bet and paying up, image stabilization keeps you locked on the pin.



6x22  
LRF-ANARCH




## BLADE<sup>®</sup> SLOPE

LASER RANGEFINDER

THE ONLY SAFE BET ON THE COURSE.

A round of golf has a lot of ups and downs. Fortunately, with slope compensation you can range them all, and LED indicators, keep you tournament legal.



6x21  
LRF-BLADE-S



## BLADE<sup>®</sup>

LASER RANGEFINDER

WIN ROUNDS NOW OR BUY ROUNDS LATER.

This pin-hunting device is built to help you hit more greens with incredibly accurate, repeatable ranges for point-and-shoot confidence.



6x21  
LRF-BLADE



## GOLF LASER RANGEFINDER SPECS

SKU	MAGNIFICATION	DISPLAY TYPE	MAX REFLECTIVE RANGE (UP TO)	FLAG RANGE (UP TO)	MIN RANGE	ACCURACY (@ 100 YARDS)	LINEAR FIELD OF VIEW (@ 100 YARDS)	MEASURING TIME	LENGTH	HEIGHT	WIDTH	WEIGHT
<b>Anarch<sup>®</sup> Image Stabilized Laser Rangefinder</b>												
LRF-ANARCH	6x	Red Illuminated	1400 yds.	450 yds.	10 yds.	+/- 1 yd.	31.8'	1 Second	4.2"	3.0"	1.6"	9.2 oz.
<b>Blade<sup>®</sup> Slope Laser Rangefinder</b>												
LRF-BLADE-S	6x	Black LCD	1400 yds.	350 yds.	6 yds.	+/- 1 yd.	37.6'	1 Second	3.9"	3.0"	1.5"	6.5 oz.
<b>Blade<sup>®</sup> Laser Rangefinder</b>												
LRF-BLADE	6x	Black LCD	1400 yds.	350 yds.	6 yds.	+/- 1 yd.	37.6'	1 Second	3.9"	3.0"	1.5"	6.5 oz.



# MONOCULARS





# RECON® R/T

MONOCULAR

- ▶ XD™ OPTICAL SYSTEM
- ▶ XR™ LENS COATINGS
- ▶ UTILITY CLIP
- ▶ WINGED EYECUP
- ▶ TRIPOD ADAPTABLE

## POCKET SIZED SPOTTING SCOPE.

The Recon® R/T is a compact, tactical monocular designed for long-range shooting, hunting, and surveillance. Offering MRAD-based subtensions and secondary quick-ranging silhouettes, it's an ideal tool for manual range estimation, delivering a tactical advantage when you need information fast.



15x50 RT155

RANGING MIL/LE



R/T RANGING RETICLE



# RECCE PRO® HD

MONOCULAR

- ▶ HD OPTICAL SYSTEM
- ▶ XR™ LENS COATINGS
- ▶ UTILITY CLIP
- ▶ WINGED EYECUP

## THE PERFECT SIDEKICK.

Made for tactical shooters and military professionals, the RECCE Pro® HD delivers high-definition clarity and rapid range estimation with its MRAD milling reticle. Compact, lightweight, and built to deploy fast, it's always within reach — helping you lock onto your target quickly and reliably when every shot counts.



8x32 RP-100

SCOUTING RANGING MIL/LE



R/T RANGING RETICLE



# SOLO® R/T

MONOCULAR

- ▶ SD OPTICAL SYSTEM
- ▶ FULLY MULTI-COATED LENSES
- ▶ UTILITY CLIP
- ▶ WINGED EYECUP

## FIND YOUR TARGET. FIND YOUR RANGE.

The Solo® R/T monocular delivers tactical precision in a light, compact package. With an MRAD milling reticle for quick range estimation, it's built for tactical shooters and hunters who strip their gear down to the essentials. Maximum power in minimal weight, so you can stay sharp at every moment of truth.



8x36 SOL-3608-RT

SCOUTING RANGING



R/T RANGING RETICLE



# SOLO®

MONOCULARS

- ▶ SD OPTICAL SYSTEM
- ▶ FULLY MULTI-COATED LENSES
- ▶ ADJUSTABLE EYECUP
- ▶ UTILITY CLIP\*


## SEE MORE. CARRY LESS.

From bowhunters to backpackers, the Solo® Monocular delivers powerful magnification in an ultra-compact design that's made for anyone who needs to pack light. Slip it into your pocket, clip it securely on your pack, and trust it to bring the details closer while standing up to tough field use.




8x25 S825  
8x36 S836  
10x25 S105  
10x36 S136

\*36mm models only



### R/T RANGING RETICLE

Uses MRAD-based subtensions and includes silhouettes for quick ranging. The angular measurements allow you to calculate ranges when comparing the reticle to objects of known dimension.



## MONOCULAR SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	CLOSE FOCUS	EYE RELIEF	DIOPTER RANGE	EYECUP STYLE	LENGTH	WEIGHT
<b>Recon® R/T</b>									
RT155	15x50	215'	4.1°	12.0'	16.0mm	+/- 3	Winged	8.0"	15.2 oz.
<b>RECCE Pro® HD</b>									
RP-100	8x32	400'	7.6°	5.0'	14.5mm	+/- 3	Winged	6.0"	10.5 oz.
<b>Solo® R/T</b>									
SOL-3608-RT	8x36	393'	7.5°	16.4'	18.0mm	+/- 4	Winged	5.4"	10.7 oz.
<b>Solo®</b>									
S136	10x36	325'	6.2°	16.4'	15.0mm	N/A	Adjustable	4.9"	9.3 oz.
S836	8x36	393'	7.5°	16.4'	18.0mm	N/A	Adjustable	4.9"	9.7 oz.
S105	10x25	315'	6.0°	16.4'	14.5mm	N/A	Adjustable	4.4"	5.6 oz.
S825	8x25	378'	7.2°	16.4'	15.0mm	N/A	Adjustable	4.4"	5.6 oz.



UNLIMITED. UNCONDITIONAL. LIFETIME WARRANTY.



# SPOTTING SCOPES





WESTERN HUNTING

PRECISION LONG-RANGE

COMPETITION

## RAZOR® HD

SPOTTING SCOPES

### FIND YOUR PEAK™.

Whether glassing for rams above the tree line or calling shots at the range, Razor® HD gives you the optical edge to spot the smallest details. Unmatched resolution, stunning HD clarity, and superior light transmission bring every growth ring, antler tine, and vapor trail into stunning focus. Meticulously constructed and built tough for extreme conditions, Razor® HD ensures you don't miss a single moment, whether on a once-in-a-lifetime hunt or in a high-pressure competition.



**13-39x56**  
 Angled RS-56A  
 Straight RS-56S



**22-48x65**  
 Angled RS-65A  
 Straight RS-65S



**27-60x85**  
 Angled RS-85A  
 Straight RS-85S

- ▶ HD OPTICAL SYSTEM
- ▶ XR™ PLUS LENS COATINGS
- ▶ HELICAL FOCUS
- ▶ ARCA-SWISS COMPATIBLE



**RETICLE AND WIDE ANGLE EYEPIECES AVAILABLE**  
 \*SOLD SEPARATELY (85mm & 65mm MODELS ONLY)

## VIPER® HD

SPOTTING SCOPES

### CROSS EVERYTHING OFF YOUR LIST.

Ultra-rugged, remarkably adaptable, Viper® HD helps you thrive where others falter. Designed for every challenge, every game, and terrain — from river bottoms to the Rockies, it delivers bright, sharp images even in the toughest conditions. Whether glassing for game or sighting in at the range, Viper® HD provides the clarity and ultra-rugged construction serious hunters need to create opportunities that lead to success.



**11-33x50**  
 Angled VPR-50A **NEW!**  
 Straight VPR-50S **NEW!**



**15-45x65**  
 Angled V500  
 Straight V501



**20-60x85**  
 Angled V502  
 Straight V503

- ▶ HD OPTICAL SYSTEM
- ▶ XR™ PLUS LENS COATINGS
- ▶ HELICAL AND DUAL FOCUS OPTIONS
- ▶ ARCA-SWISS COMPATIBLE



**RETICLE EYEPIECE AVAILABLE**  
 \*SOLD SEPARATELY (85mm MODELS ONLY)



WESTERN HUNTING

LONG-RANGE SHOOTING



# DIAMONDBACK® HD

SPOTTING SCOPES

## EVOLUTION NEVER LOOKED SO GOOD.

Designed for workhorse reliability and no-nonsense performance, Diamondback® HD delivers sharp images and excellent low-light capability for gritty, hardworking hunters. Built to go the distance season after season, it helps you excel from open plains to rugged mountains. Diamondback® HD is your trusted ally — finding every flicker of opportunity that distance, shadows, and cover can no longer hide.



**16-48x65**

Angled DS-65A  
Straight DS-65S



**20-60x85**

Angled DS-85A  
Straight DS-85S

HUNTING WILDLIFE OBSERVATION

- ▶ HD OPTICAL SYSTEM
- ▶ FULLY MULTI-COATED LENSES
- ▶ HELICAL FOCUS
- ▶ ARCA-SWISS COMPATIBLE



# CROSSFIRE® HD

SPOTTING SCOPES

## PUT THE SPOT IN YOUR STALK.

If you love finding game, you'll love spotting more with Crossfire® HD. Clear, reliable, and always ready for action, it combines the simplicity new hunters need with the functionality seasoned hunters expect. Crossfire® HD delivers impressive light transmission and low-light capability. Built with premium materials and a straightforward design, it expands your ability to cover more ground and fill more tags.



**12-36x50**

Angled CF-50A **NEW!**  
Straight CF-50S **NEW!**



**16-48x65**

Angled CF-65A **NEW!**  
Straight CF-65S **NEW!**



**20-60x80**

Angled CF-80A **NEW!**  
Straight CF-80S **NEW!**

HUNTING WILDLIFE OBSERVATION

- ▶ HD OPTICAL SYSTEM
- ▶ FULLY MULTI-COATED LENSES
- ▶ HELICAL FOCUS
- ▶ ARCA-SWISS COMPATIBLE

# SPOTTING SCOPE SPECS

SKU	MAGNIFICATION X OBJECTIVE LENS DIAMETER	EYEPIECE POSITION	LINEAR FIELD OF VIEW (@ 1000 YARDS)	ANGULAR FIELD OF VIEW	CLOSE FOCUS	EYE RELIEF	LENGTH	WEIGHT
<b>Razor® HD</b>								
RS-85A	27-60x85	Angled	117' - 68'	2.2° - 1.3°	16.4'	16.7mm - 17.0mm	15.5"	65.6 oz.
RS-85S		Straight					16.2"	
RS-65A	22-48x65	Angled	138' - 84'	2.7° - 1.6°	26.2'	16.7mm - 17.0mm	14.8"	56.8 oz.
RS-65S		Straight					15.6"	
RS-56A	13-39x56	Angled	168' - 89'	3.2° - 1.7°	9.2'	15.0mm - 17.8mm	10.4"	28.6 oz.
RS-56S		Straight					11.1"	29.5 oz.
<b>Viper® HD</b>								
V502	20-60x85	Angled	101' - 50'	1.9° - 1.0°	36.0'	17.8mm - 19.6mm	17.5"	76.6 oz.
V503		Straight					18.0"	76.4 oz.
V500	15-45x65	Angled	137' - 68'	2.6° - 1.3°	23.0'	17.8mm - 19.6mm	14.0"	59.0 oz.
V501		Straight					14.6"	58.8 oz.
VPR-50A	11-33x50	Angled	182' - 95'	3.5° - 1.8°	9.0'	16.0mm - 19.0mm	10.3"	27.8 oz.
VPR-50S		Straight					11.0"	27.4 oz.
<b>Diamondback® HD</b>								
DS-85A	20-60x85	Angled	108' - 60'	2.1° - 1.1°	24.6'	18.3mm - 20.3mm	16.0"	60.9 oz.
DS-85S		Straight					15.8"	61.3 oz.
DS-65A	16-48x65	Angled	138' - 72'	2.6° - 1.4°	16.4'	18.3mm - 20.3mm	14.3"	49.8 oz.
DS-65S		Straight					13.7"	50.4 oz.
<b>Crossfire® HD</b>								
CF-80A	20-60x80	Angled	105' - 53'	2.0° - 1.0°	26.0'	18.0mm	15.6"	53.0 oz.
CF-80S		Straight					15.1"	
CF-65A	16-48x65	Angled	131' - 68'	2.5° - 1.3°	16.5'	18.0mm	13.4"	44.1 oz.
CF-65S		Straight					12.9"	44.0 oz.
CF-50A	12-36x50	Angled	173' - 89'	3.3° - 1.7°	13.9'	18.0mm	10.2"	30.3 oz.
CF-50S		Straight			14.5'		9.7"	31.2 oz.



WE GOT YOUR BACK.™

# TRIPODS





### PRECISION SHOOTING

- ▶ BALL HEAD – 55 LBS. MAX LOAD
- ▶ LEVELING HEAD – 44 LBS. MAX LOAD
- ▶ CARBON FIBER LEG CONSTRUCTION
- ▶ ARCA-SWISS HEAD MOUNT
- ▶ TWIST LEG LOCKS

## RADIAN™ CARBON

CARBON FIBER TRIPODS + BALL HEAD OR LEVELING HEAD

### THE ULTIMATE IN STABILITY, PRECISION, AND PERSPECTIVE.

Built for serious glassing, shooting, and competition, the Radian™ Carbon offers premium strength in a lightweight design. Carbon fiber legs, Arca-Swiss compatibility, and ball or leveling head options ensure stability and precision for long-range accuracy — whether in the field, at the range, or during a match.



**BALL HEAD**  
TR-RADB



Independent pan movement and tension control with integrated level. 45 degrees of tilt and notches for up to 90 degrees for all the travel you need.



**LEVELING HEAD**  
TR-RADL



Smooth, intuitive controls with rubberized, twist-to-lock/unlock handle. +/-15 degrees of leveling capability guarantee precise positioning.



### STAND-UP GLASSING

- ▶ 2-WAY PAN HEAD – 22 LBS. MAX LOAD
- ▶ CARBON FIBER LEG CONSTRUCTION
- ▶ ARCA-SWISS HEAD MOUNT
- ▶ EXTENDED HEIGHT – MAX HEIGHT OF 73.8"
- ▶ 1/4-TURN LEG LOCKS

## RIDGEVIEW™ CARBON

CARBON FIBER TRIPOD + PAN HEAD

### THE HEIGHT OF STABILITY.

Designed for stand-up glassing, the Ridgeview™ Carbon offers strength and stability for hunting and range spotting without bending or crouching. It supports large spotting scopes and heavy binoculars while staying portable — perfect for those who need steady support in the field or when assisting a shooter at the bench.



TR-RVC



### COMPATIBLE WITH PRO LEVELING HEAD

Integrated level for precise positioning, plus twist to unlock/lock knurled control ring to keep you locked in.

\*SOLD SEPARATELY



### PRECISION SHOOTING

### STAND-UP GLASSING

- ▶ LOCKABLE BALL HEAD – 44 LBS. MAX LOAD
- ▶ CARBON FIBER LEG CONSTRUCTION
- ▶ ARCA-SWISS HEAD MOUNT
- ▶ TWIST LEG LOCKS

## SWITCHBACK™ CARBON

CARBON FIBER TRIPOD + BALL HEAD

### PACKS LIGHT. ADAPTS FAST. STANDS SOLID UNDER GLASS AND GUN.

Designed for Western hunters and competitive shooters, the Switchback™ Carbon Tripod offers exceptional stability for heavy rifles, binoculars, and spotting scopes. Lightweight, with twist-lock controls for quick setup in any position, it's also Arca-Swiss compatible for seamless transitions between glassing and shooting.



TR-SBC



### COMPATIBLE WITH PRO LEVELING HEAD

Integrated level for precise positioning, plus twist to unlock/lock knurled control ring to keep you locked in.

\*SOLD SEPARATELY

\*\*MUST BE USED WITH SWITCHBACK CARBON™ TRIPOD HEAD APAPTER, ALSO SOLD SEPARATELY



### LIGHTWEIGHT HUNTING

### SEATED GLASSING

- ▶ 2-WAY PAN HEAD – 22 LBS. MAX LOAD
- ▶ CARBON FIBER LEG CONSTRUCTION
- ▶ ARCA-SWISS HEAD MOUNT
- ▶ COMPACT, LIGHTWEIGHT DESIGN
- ▶ 1/4-TURN LEG LOCKS

## SUMMIT™ CARBON II

CARBON FIBER TRIPOD + PAN HEAD

### GO LIGHTER, GO FASTER, GO ANYWHERE.

When every ounce in your pack matters, Summit™ Carbon II keeps you on the move without sacrificing stability. Built for backcountry hunters, it collapses into a compact, packable size. The detachable center column adds flexibility for taller shots or low-angle glassing, delivering support for the toughest hunts, all without weighing you down.



TR-SMC



### COMPATIBLE WITH PRO LEVELING HEAD

Integrated level for precise positioning, plus twist to unlock/lock knurled control ring to keep you locked in.

\*SOLD SEPARATELY



# HIGH COUNTRY™ II

ALUMINUM TRIPOD + PAN HEAD

## OWN THE HIGH GROUND.

The High Country™ II offers stability and strength for glassing from standing or lying positions. Its aluminum design makes it durable yet packable, supporting larger optics while adapting to any kind of range or field scenario without taking up too much space.



TR-HCY



### COMPATIBLE WITH PRO LEVELING HEAD

Integrated level for precise positioning, plus twist to unlock/lock knurled control ring to keep you locked in.

\*SOLD SEPARATELY

STAND-UP GLASSING WILDLIFE OBSERVATION

- ▶ 2-WAY PAN HEAD – 22 LBS. MAX LOAD
- ▶ ALUMINUM LEG CONSTRUCTION
- ▶ ARCA-SWISS HEAD MOUNT
- ▶ FLIP LEVER LEG LOCKS



# MOUNTAIN PASS™

ALUMINUM TRIPOD + PAN HEAD

## FOR WHEN YOU'RE NOT JUST PASSING THROUGH.

Whether you're spotting distant targets at the range or searching for game miles from the truck, Mountain Pass™ delivers the perfect balance of packability and dependability — helping you get the most out of every minute you spend glassing.



TR-MTP



### COMPATIBLE WITH PRO LEVELING HEAD

Integrated level for precise positioning, plus twist to unlock/lock knurled control ring to keep you locked in.

\*SOLD SEPARATELY

SEATED GLASSING WILDLIFE OBSERVATION

- ▶ 2-WAY PAN HEAD – 22 LBS. MAX LOAD
- ▶ ALUMINUM LEG CONSTRUCTION
- ▶ ARCA-SWISS HEAD MOUNT
- ▶ FLIP LEVER LEG LOCKS

## TRIPOD ACCESSORIES



### RADIAN™ BALL HEAD

TRH-BAL1



### RADIAN™ LEVELING HEAD

TRH-LVL1



### PRO LEVELING HEAD

TRH-LVL2



### PRO RIFLE CLAMP TRIPOD MOUNT

TRA-RIFCLAMP



### SWITCHBACK™ CARBON TRIPOD HEAD ADAPTER

TRA-SBCDAP



### ARCA-SWISS QUICK-RELEASE PLATE

TRH-LVL2



### PRO BINOCULAR ADAPTER

TRA-BINDAP



### PRO BINOCULAR ADAPTER (STUD ONLY)

TRA-BINSTUD



### SPORT BINOCULAR ADAPTER

TRA-BINDAP2

## TRIPOD SPECS

SKU	HEAD STYLE	WEIGHT	MAX LOAD	HEIGHT (MIN-MAX)	FOLDED DIMENSIONS (HEIGHT X WIDTH)	LEG MATERIAL	LEG SECTIONS	LEG ANGLES	LEG LOCKS	HEAD MOUNT
<b>Radian™ Carbon</b>										
TR-RADB	Ball	7.3 lbs.	55 lbs.	8.3" - 67.3"	28.0" x 6.0"	Carbon Fiber	4	3	Twist	Arca-Swiss
TR-RADL	Leveling	6.1 lbs.	44 lbs.	7.8" - 64.3"	25.5" x 6.0"	Carbon Fiber	4	3	Twist	Arca-Swiss
<b>Switchback™ Carbon</b>										
TR-SBC	Ball	4.6 lbs.	44 lbs.	5.8" - 65.0"	29.0" x 4.0"	Carbon Fiber	3	3	Twist	Arca-Swiss
<b>Ridgeview™ Carbon</b>										
TR-RVC	2-Way Pan	3.2 lbs.	22 lbs.	8.3" - 73.8"	29.0" x 3.2"	Carbon Fiber	3	3	1/4-Turn	Arca-Swiss
<b>Summit™ Carbon II</b>										
TR-SMC	2-Way Pan	2.5 lbs.	22 lbs.	6.3" - 53.3"	18.1" x 3.0"	Carbon Fiber	4	3	1/4-Turn	Arca-Swiss
<b>High Country™ II</b>										
TR-HCY	2-Way Pan	4.0 lbs.	22 lbs.	11.3" - 62.5"	24.3" x 4.0"	Aluminum	3	3	Flip Lever	Arca-Swiss
<b>Mountain Pass™</b>										
TR-MTP	2-Way Pan	3.1 lbs.	22 lbs.	9.0" - 56.0"	19.0" x 4.0"	Aluminum	4	3	Flip Lever	Arca-Swiss



WE GOT  
**YOUR  
BACK.**<sup>TM</sup>

CAT25



1-800-4VORTEX



INFO@VORTEXOPTICS.COM



VORTEXOPTICS.COM



1 VORTEX DRIVE  
BARNEVELD, WI 53507

**UNLIMITED. UNCONDITIONAL. LIFETIME WARRANTY.**

Vortex® will repair or replace the product. Absolutely free — no matter the cause.

*Does not cover loss, theft, deliberate damage, or cosmetic damage that does not hinder the performance of the product.*

**GOT A QUESTION? GIVE US A CALL.**

When you call Vortex® for help with your optics, you talk to real experts with real experience in finding answers to your questions. They're also pretty darn good for a conversation.